

## 2. 胸部CT検査

## ① 1日人間ドック

## &lt;胸部CT検査判定結果&gt;

## &lt;男性&gt;

	～29	30～39	40～49	50～59	60～69	70～79	80～	合計 (人)	比率 (%)
A	1	18	47	25	6	0	0	96	4.6
B1	1	43	263	468	321	88	12	1196	57.0
B2	0	19	73	171	221	79	16	579	27.6
C	0	6	32	65	54	22	5	184	8.8
D	0	2	7	11	14	9	1	44	2.1
E	0	0	0	0	0	0	0	0	0.0
受診者数 (人)	2	88	422	740	616	198	34	2100	100.0
有所見者数 (人)	1	70	375	715	610	198	34	2004	95.4
有所見者率 (%)	50.0	79.5	88.9	96.6	99.0	100.0	100.0	95.4	

## &lt;女性&gt;

	～29	30～39	40～49	50～59	60～69	70～79	80～	合計 (人)	比率 (%)
A	0	8	11	20	5	0	0	44	4.6
B1	0	13	127	173	133	48	6	500	52.6
B2	0	4	33	90	88	44	8	267	28.1
C	0	9	11	41	42	9	4	116	12.2
D	0	1	4	5	10	2	2	24	2.5
E	0	0	0	0	0	0	0	0	0.0
受診者数 (人)	0	35	186	329	278	103	20	951	100.0
有所見者数 (人)	0	27	175	309	273	103	20	907	95.4
有所見者率 (%)	0.0	77.1	94.1	93.9	98.2	100.0	100.0	95.4	

## &lt;胸部CT検査疾患別一覧&gt;

## &lt;男性&gt;

	～29	30～39	40～49	50～59	60～69	70～79	80～	総計
著変なし	1	18	47	25	6	0	0	97
陳旧性変化	1	38	227	501	452	151	25	1395
微小結節影	0	12	96	206	186	59	7	566
結節影	0	0	6	9	8	8	0	31
軽度肺気腫	1	28	148	289	246	88	11	811
中等度肺気腫	0	1	0	4	7	0	1	13
高度肺気腫	0	0	0	0	1	0	0	1
間質影増強	0	1	3	25	56	38	10	133
冠動脈石灰化	0	1	34	185	239	89	16	564
すりガラス状陰影	0	6	41	84	86	29	8	254
気管支拡張	0	0	3	7	15	9	0	34
前縦隔腫瘤	0	1	7	14	21	7	0	50
総計	2	88	422	740	616	198	34	2100

## &lt;女性&gt;

	～29	30～39	40～49	50～59	60～69	70～79	80～	総計
著変なし	0	8	11	20	5	0	0	44
陳旧性変化	0	20	142	267	235	90	18	772
微小結節影	0	8	29	78	89	34	5	242
結節影	0	1	1	7	9	3	0	21
軽度肺気腫	0	2	6	15	12	1	0	36
中等度肺気腫	0	0	0	0	0	0	0	0
高度肺気腫	0	0	0	0	0	0	0	0
間質影増強	0	0	1	5	14	6	5	31
冠動脈石灰化	0	0	4	15	39	33	8	99
すりガラス状陰影	0	5	20	60	54	21	5	165
気管支拡張	0	0	1	11	13	4	2	31
前縦隔腫瘤	0	1	2	7	9	6	1	26
総計	0	35	186	329	278	103	20	951

## ③ 2日人間ドック

&lt;胸部CT検査判定結果&gt;

&lt;男性&gt;

	～29	30～39	40～49	50～59	60～69	70～79	80～	合計 (人)	比率 (%)
A	0	2	13	12	7	0	0	34	4.4
B1	1	13	58	104	139	68	19	402	52.2
B2	0	1	19	39	89	54	22	224	29.1
C	0	3	11	19	35	23	7	98	12.7
D	0	0	1	2	3	4	2	12	1.6
E	0	0	0	0	0	0	0	0	0.0
受診者数 (人)	1	19	102	176	273	149	50	770	100.0
有所見者数 (人)	1	17	89	164	266	149	50	736	95.6
有所見者率 (%)	100.0	89.5	87.3	93.2	97.4	100.0	100.0	95.6	

&lt;女性&gt;

	～29	30～39	40～49	50～59	60～69	70～79	80～	合計 (人)	比率 (%)
A	0	1	3	7	1	1	0	13	4.3
B1	0	2	17	24	45	31	7	126	42.1
B2	0	1	10	15	37	39	7	109	36.5
C	0	1	5	5	15	14	3	43	14.4
D	0	0	1	1	5	1	0	8	2.7
E	0	0	0	0	0	0	0	0	0.0
受診者数 (人)	0	5	36	52	103	86	17	299	100.0
有所見者数 (人)	0	4	33	45	102	85	17	286	95.7
有所見者率 (%)	0.0	80.0	91.7	86.5	99.0	98.8	100.0	95.7	

## &lt;胸部CT検査疾患別一覧&gt;

## &lt;男性&gt;

	～29	30～39	40～49	50～59	60～69	70～79	80～	総計
著変なし	0	2	13	12	7	0	0	34
陳旧性変化	1	9	55	113	177	110	32	497
微小結節影	0	1	26	34	76	46	13	196
結節影	0	0	1	0	6	3	5	15
軽度肺気腫	0	5	44	78	121	64	19	331
中等度肺気腫	0	0	0	0	1	3	0	4
高度肺気腫	0	0	0	0	0	0	0	0
間質影増強	0	0	1	4	27	27	15	74
冠動脈石灰化	0	1	3	43	107	71	20	245
すりガラス状陰影	0	3	12	23	57	21	11	127
気管支拡張	0	0	1	0	12	9	2	24
前縦隔腫瘤	0	1	1	5	9	6	1	23
総計	1	19	102	176	273	149	50	770

## &lt;女性&gt;

	～29	30～39	40～49	50～59	60～69	70～79	80～	総計
著変なし	0	1	3	7	1	1	0	13
陳旧性変化	0	3	25	38	78	71	14	229
微小結節影	0	0	10	19	36	27	5	97
結節影	0	0	0	1	2	2	6	11
軽度肺気腫	0	0	1	3	4	7	0	15
中等度肺気腫	0	0	0	0	0	0	0	0
高度肺気腫	0	0	0	0	0	0	0	0
間質影増強	0	0	0	1	7	13	4	25
冠動脈石灰化	0	0	1	0	19	35	6	61
すりガラス状陰影	0	2	7	13	31	18	2	73
気管支拡張	0	0	1	0	7	12	4	24
前縦隔腫瘤	0	0	0	1	0	2	0	3
総計	0	5	36	52	103	86	17	299

## ③ 全国健保管掌健康保険生活習慣病予防健診

## &lt;胸部CT検査判定結果&gt;

## &lt;男性&gt;

	～29	30～39	40～49	50～59	60～69	70～79	80～	合計 (人)	比率 (%)
A	0	0	1	0	0	0	0	1	1.6
B1	0	2	13	14	9	1	0	39	61.9
B2	0	3	5	5	6	1	0	20	31.7
C	0	0	0	3	0	0	0	3	4.8
D	0	0	0	0	0	0	0	0	0.0
E	0	0	0	0	0	0	0	0	0.0
受診者数 (人)	0	5	19	22	15	2	0	63	100.0
有所見者数 (人)	0	5	18	22	15	2	0	62	98.4
有所見者率 (%)	0.0	100.0	94.7	100.0	100.0	100.0	0.0	98.4	

## &lt;女性&gt;

	～29	30～39	40～49	50～59	60～69	70～79	80～	合計 (人)	比率 (%)
A	0	0	0	0	0	0	0	0	0.0
B1	0	0	6	3	4	2	0	15	65.2
B2	0	0	2	1	3	0	0	6	26.1
C	0	0	0	1	0	0	0	1	4.3
D	0	0	0	1	0	0	0	1	4.3
E	0	0	0	0	0	0	0	0	0.0
受診者数 (人)	0	0	8	6	7	2	0	23	100.0
有所見者数 (人)	0	0	8	6	7	2	0	23	100.0
有所見者率 (%)	0.0	0.0	100.0	100.0	100.0	100.0	0.0	100.0	

## &lt;胸部CT検査疾患別一覧&gt;

## &lt;男性&gt;

	～29	30～39	40～49	50～59	60～69	70～79	80～	総計
著変なし	0	0	1	0	0	0	0	1
陳旧性変化	0	2	10	17	11	1	0	41
微小結節影	0	1	7	6	4	1	0	19
結節影	0	0	0	1	0	0	0	1
軽度肺気腫	0	3	12	12	6	1	0	34
中等度肺気腫	0	0	0	0	3	0	0	3
高度肺気腫	0	0	0	0	0	0	0	0
間質影増強	0	0	0	1	2	1	0	4
冠動脈石灰化	0	0	2	6	8	1	0	17
すりガラス状陰影	0	0	1	2	0	0	0	3
気管支拡張	0	0	0	0	0	0	0	0
前縦隔腫瘤	0	0	1	2	1	0	0	4
総計	0	5	19	22	15	2	0	63

## &lt;女性&gt;

	～29	30～39	40～49	50～59	60～69	70～79	80～	総計
著変なし	0	0	0	0	0	0	0	0
陳旧性変化	0	0	5	4	7	2	0	18
微小結節影	0	0	1	4	2	1	0	8
結節影	0	0	0	0	0	0	0	0
軽度肺気腫	0	0	0	0	0	0	0	0
中等度肺気腫	0	0	0	0	0	0	0	0
高度肺気腫	0	0	0	0	0	0	0	0
間質影増強	0	0	0	0	1	0	0	1
冠動脈石灰化	0	0	1	1	0	0	0	2
すりガラス状陰影	0	0	2	1	2	0	0	5
気管支拡張	0	0	0	0	1	0	0	1
前縦隔腫瘤	0	0	0	1	0	0	0	1
総計	0	0	8	6	7	2	0	23

## ④ 施設内健診（協会けんぽ含む）

## &lt;胸部CT検査判定結果&gt;

## &lt;男性&gt;

	～29	30～39	40～49	50～59	60～69	70～79	80～	合計 (人)	比率 (%)
A	0	1	3	0	1	0	0	5	4.5
B1	1	5	18	22	12	2	0	60	54.1
B2	1	5	8	9	9	2	0	34	30.6
C	0	0	3	4	1	0	0	8	7.2
D	0	0	0	1	3	0	0	4	3.6
E	0	0	0	0	0	0	0	0	0.0
受診者数 (人)	2	11	32	36	26	4	0	111	100.0
有所見者数 (人)	2	10	29	36	25	4	0	106	95.5
有所見者率 (%)	100.0	90.9	90.6	100.0	96.2	100.0	0.0	95.5	

## &lt;女性&gt;

	～29	30～39	40～49	50～59	60～69	70～79	80～	合計 (人)	比率 (%)
A	0	3	1	0	0	0	0	4	5.7
B1	0	1	10	9	7	2	0	29	41.4
B2	0	0	4	6	7	1	1	19	27.1
C	0	0	1	4	8	1	1	15	21.4
D	0	0	0	1	2	0	0	3	4.3
E	0	0	0	0	0	0	0	0	0.0
受診者数 (人)	0	4	16	20	24	4	2	70	100.0
有所見者数 (人)	0	1	15	20	24	4	2	66	94.3
有所見者率 (%)	0.0	25.0	93.8	100.0	100.0	100.0	100.0	94.3	

## &lt;胸部CT検査疾患別一覧&gt;

## &lt;男性&gt;

	～29	30～39	40～49	50～59	60～69	70～79	80～	総計
著変なし	0	1	3	0	1	0	0	5
陳旧性変化	0	4	16	25	18	3	0	66
微小結節影	2	5	12	7	8	2	0	36
結節影	0	0	0	1	0	0	0	1
軽度肺気腫	0	4	17	21	10	2	0	54
中等度肺気腫	0	0	0	0	3	0	0	3
高度肺気腫	0	0	0	0	0	0	0	0
間質影増強	0	0	0	1	3	1	0	5
冠動脈石灰化	0	0	3	9	13	1	0	26
すりガラス状陰影	0	1	3	5	4	1	0	14
気管支拡張	0	0	0	0	0	0	0	0
前縦隔腫瘤	0	0	1	3	1	0	0	5
総計	2	11	32	36	26	4	0	111

## &lt;女性&gt;

	～29	30～39	40～49	50～59	60～69	70～79	80～	総計
著変なし	0	3	1	0	0	0	0	4
陳旧性変化	0	1	11	17	22	4	2	57
微小結節影	0	0	4	10	7	3	0	24
結節影	0	0	0	1	2	0	0	3
軽度肺気腫	0	0	0	0	1	0	0	1
中等度肺気腫	0	0	0	0	0	0	0	0
高度肺気腫	0	0	0	0	0	0	0	0
間質影増強	0	0	0	0	4	0	1	5
冠動脈石灰化	0	0	1	3	2	0	0	6
すりガラス状陰影	0	0	3	4	5	1	0	13
気管支拡張	0	0	0	0	5	0	1	6
前縦隔腫瘤	0	0	0	1	1	0	0	2
総計	0	4	16	20	24	4	2	70