## (2)眼圧検査

眼圧検査とは、緑内障の有無を調べる検査で、眼圧が上がると視神経が圧迫され、視野や視神経乳 頭に対する障害を起こす。

有所見者数はC以上とする。

## <眼圧検査判定結果>

①1日人間ドック

## <男性>

	~29	30~39	40~49	50~59	60~69	70~79	80~	合計(人)	比率(%)
Α	38	1, 348	3, 561	4, 210	2, 874	830	164	13, 025	99. 1
В1	0	0	0	0	0	0	0	0	0
В2	0	0	0	0	0	0	0	0	0
С	1	7	24	31	19	4	0	86	0. 7
D	0	2	9	11	12	3	1	38	0. 3
E	0	0	0	0	0	0	0	0	0
F	0	0	0	0	0	0	0	0	0
受診者数(人)	39	1, 357	3, 594	4, 252	2, 905	837	165	13, 149	100
有所見者数(人)	1	9	33	42	31	7	1	124	0. 9
有所見者率(%)	2. 6	0. 7	0. 9	1.0	1. 1	0.8	0. 6	0. 9	

#### <女性>

	~29	30~39	40~49	50~59	60~69	70~79	80 <b>~</b>	合計(人)	比率(%)
Α	33	1, 055	3, 159	3, 482	2, 096	545	90	10, 460	99. 4
В1	0	0	0	0	0	0	0	0	0
B2	0	0	0	0	0	0	0	0	0
С	0	7	13	17	7	1	0	45	0. 4
D	0	0	3	9	1	3	0	16	0. 2
E	0	0	0	0	0	0	0	0	0
F	0	0	0	0	0	0	0	0	0
受診者数(人)	33	1, 062	3, 175	3, 508	2, 104	549	90	10, 521	100
有所見者数(人)	0	7	16	26	8	4	0	61	0. 6
有所見者率(%)	0	0. 7	0. 5	0. 7	0. 4	0. 7	0	0. 6	

# ②2 日人間ドック

## <男性>

	~29	30~39	40~49	50~59	60~69	70~79	80~	合計(人)	比率(%)
Α	11	210	662	939	885	486	103	3, 296	99. 5
В1	0	0	0	0	0	0	0	0	0
В2	0	0	0	0	0	0	0	0	0
С	0	0	3	3	4	3	0	13	0. 4
D	0	0	0	0	2	3	0	5	0. 2
E	0	0	0	0	0	0	0	0	0
F	0	0	0	0	0	0	0	0	0
受診者数(人)	11	210	665	942	891	492	103	3, 314	100
有所見者数(人)	0	0	3	3	6	6	0	18	0. 5
有所見者率(%)	0	0	0. 5	0. 3	0. 7	1. 2	0	0. 5	

# <女性>

	~29	30~39	40~49	50~59	60~69	70~79	80~	合計(人)	比率(%)
Α	5	47	210	337	377	240	41	1, 257	99. 5
В1	0	0	0	0	0	0	0	0	0
В2	0	0	0	0	0	0	0	0	0
С	0	0	2	2	1	0	0	5	0. 4
D	0	0	0	0	0	1	0	1	0. 1
E	0	0	0	0	0	0	0	0	0
F	0	0	0	0	0	0	0	0	0
受診者数(人)	5	47	212	339	378	241	41	1, 263	100
有所見者数(人)	0	0	2	2	1	1	0	6	0. 5
有所見者率(%)	0	0	0. 9	0. 6	0. 3	0. 4	0	0. 5	