

(2) 胸部CT検査

① 1日人間ドック

<胸部 CT 検査判定結果>

<男性>

	~29	30~39	40~49	50~59	60~69	70~79	80~	合計 (人)	比率 (%)
A	0	26	52	38	19	0	0	135	6.1
B1	0	58	271	466	344	72	9	1220	55.2
B2	0	11	81	179	216	102	16	605	27.4
C	0	6	30	66	74	22	5	203	9.2
D	0	0	2	19	18	8	2	49	2.2
E	0	0	0	0	0	0	0	0	0.0
受診者数 (人)	0	101	436	768	671	204	32	2212	100.0
有所見者数 (人)	0	75	384	730	652	204	32	2077	93.9
有所見者率 (%)	0.0	74.3	88.1	95.1	97.2	100.0	0.0	93.9	

<女性>

	~29	30~39	40~49	50~59	60~69	70~79	80~	合計 (人)	比率 (%)
A	1	15	29	14	7	0	0	66	6.6
B1	0	17	101	182	145	31	9	485	48.5
B2	1	9	32	94	95	50	15	296	29.6
C	0	3	24	50	44	13	3	137	13.7
D	0	0	5	4	5	0	1	15	1.5
E	0	0	0	0	0	0	0	0	0.0
受診者数 (人)	2	44	191	344	296	94	28	999	100.0
有所見者数 (人)	1	29	162	330	289	94	28	933	93.4
有所見者率 (%)	50.0	65.9	84.8	95.9	97.6	100.0	0.0	93.4	

<胸部 CT 検査疾患別一覧>

<男性>

	～29	30～39	40～49	50～59	60～69	70～79	80～	総計
著変なし	0	26	52	38	19	0	0	135
陳旧性変化	0	58	336	665	637	199	27	1922
微小結節影	0	16	83	167	170	49	6	491
結節影	0	0	4	12	22	9	1	48
軽度肺気腫	0	21	131	305	260	90	12	819
中等度肺気腫	0	1	0	4	11	0	2	18
高度肺気腫	0	0	0	0	1	1	0	2
間質影増強	0	0	4	38	75	48	10	175
冠動脈石灰化	0	2	29	180	267	98	12	588
すりガラス状陰影	0	6	33	87	87	36	8	257
気管支拡張	0	0	6	14	18	11	2	51
前縦隔腫瘤	0	0	6	25	23	7	2	63
総計	0	101	436	768	671	204	32	2212

<女性>

	～29	30～39	40～49	50～59	60～69	70～79	80～	総計
著変なし	1	15	29	14	7	0	0	66
陳旧性変化	0	25	118	283	259	77	22	784
微小結節影	1	8	37	82	88	25	9	250
結節影	0	1	0	3	5	4	2	15
軽度肺気腫	0	0	4	12	8	3	1	28
中等度肺気腫	0	0	0	0	0	0	0	0
高度肺気腫	0	0	0	0	0	0	0	0
間質影増強	0	1	1	10	15	12	7	46
冠動脈石灰化	0	0	2	25	44	29	10	110
すりガラス状陰影	0	3	28	62	55	19	7	174
気管支拡張	0	0	2	8	15	12	4	41
前縦隔腫瘤	0	0	2	6	10	2	3	23
総計	2	44	191	344	296	94	28	999

① 2 日人間ドック

<胸部 CT 検査判定結果>

<男性>

	～29	30～39	40～49	50～59	60～69	70～79	80～	合計 (人)	比率 (%)
A	0	5	12	10	7	0	0	34	4.1
B1	0	16	56	114	153	85	14	438	53.3
B2	0	3	25	38	92	63	21	242	29.5
C	0	2	9	18	40	16	7	92	11.2
D	0	0	2	1	4	5	3	15	1.8
E	0	0	0	0	0	0	0	0	0.0
受診者数 (人)	0	26	104	181	296	169	45	821	100.0
有所見者数 (人)	0	21	92	171	289	169	45	787	95.9
有所見者率 (%)	0.0	80.8	88.5	94.5	97.6	100.0	0.0	95.9	

<女性>

	～29	30～39	40～49	50～59	60～69	70～79	80～	合計 (人)	比率 (%)
A	0	4	7	5	3	0	0	19	6.7
B1	0	2	16	29	43	33	1	124	43.7
B2	0	1	6	12	39	30	10	98	34.5
C	0	0	2	7	15	11	2	37	13.0
D	0	0	0	2	3	1	0	6	2.1
E	0	0	0	0	0	0	0	0	0.0
受診者数 (人)	0	7	31	55	103	75	13	284	100.0
有所見者数 (人)	0	3	24	50	100	75	13	265	93.3
有所見者率 (%)	0.0	42.9	77.4	90.9	97.1	100.0	0.0	93.3	

<胸部 CT 検査疾患別一覧>

<男性>

	～29	30～39	40～49	50～59	60～69	70～79	80～	総計
著変なし	0	5	12	10	7	0	0	34
陳旧性変化	0	14	55	117	199	135	32	552
微小結節影	0	1	16	41	58	36	12	164
結節影	0	0	0	1	8	5	2	16
軽度肺気腫	0	4	19	73	132	57	18	303
中等度肺気腫	0	0	0	0	3	2	1	6
高度肺気腫	0	0	0	0	0	0	0	0
間質影増強	0	0	3	5	34	27	17	86
冠動脈石灰化	0	0	8	50	132	89	19	298
すりガラス状陰影	0	1	9	24	40	19	10	103
気管支拡張	0	0	0	0	11	8	3	22
前縦隔腫瘤	0	1	4	5	9	7	1	27
総計	0	26	104	181	296	169	45	821

<女性>

	～29	30～39	40～49	50～59	60～69	70～79	80～	総計
著変なし	0	4	7	5	3	0	0	19
陳旧性変化	0	1	19	33	75	65	11	204
微小結節影	0	0	5	12	23	19	5	64
結節影	0	0	0	0	5	0	1	6
軽度肺気腫	0	0	0	1	1	5	0	7
中等度肺気腫	0	0	0	0	0	0	0	0
高度肺気腫	0	0	0	0	0	0	0	0
間質影増強	0	0	0	2	8	10	4	24
冠動脈石灰化	0	0	1	5	23	30	8	67
すりガラス状陰影	0	1	2	11	25	16	2	57
気管支拡張	0	0	0	1	6	10	2	19
前縦隔腫瘤	0	0	0	1	3	0	0	4
総計	0	7	31	55	103	75	13	284

③ 施設内健診（協会けんぽ含む）

<胸部 CT 検査判定結果>

<男性>

	～29	30～39	40～49	50～59	60～69	70～79	80～	合計 (人)	比率 (%)
A	1	3	3	1	1	0	0	9	6.1
B1	2	7	18	26	17	5	0	75	51.0
B2	0	2	11	9	14	3	0	39	26.5
C	0	2	5	7	7	2	0	23	15.6
D	0	0	1	0	0	0	0	1	0.7
E	0	0	0	0	0	0	0	0	0.0
受診者数 (人)	3	14	38	43	39	10	0	147	100.0
有所見者数 (人)	2	11	35	42	38	10	0	138	93.9
有所見者率 (%)	0.0	78.6	92.1	97.7	97.4	100.0	0.0	93.9	

<女性>

	～29	30～39	40～49	50～59	60～69	70～79	80～	合計 (人)	比率 (%)
A	1	2	1	2				6	6.7
B1	0	3	11	14	7	3	1	39	43.8
B2	0	2	10	4	9	2		27	30.3
C	0	0	3	6	4	2	0	15	16.9
D	0	0	1	0	1	0	0	2	2.2
E	0	0	0	0	0	0	0	0	0.0
受診者数 (人)	1	7	26	26	21	7	1	89	100.0
有所見者数 (人)	0	5	25	24	21	7	1	83	93.3
有所見者率 (%)	0.0	71.4	96.2	92.3	100.0	100.0	0.0	93.3	

<胸部 CT 検査疾患別一覧>

<男性>

	～29	30～39	40～49	50～59	60～69	70～79	80～	総計
著変なし	1	3	3	1	1	0	0	9
陳旧性変化	1	7	20	30	23	6	0	87
微小結節影	0	0	8	12	9	3	0	32
結節影	0	0	1	0	0	0	0	1
軽度肺気腫	0	4	21	19	16	4	0	64
中等度肺気腫	0	0	0	0	1	0	0	1
高度肺気腫	0	0	0	0	0	0	0	0
間質影増強	0	0	0	2	4	1	0	7
冠動脈石灰化	1	0	4	8	17	5	0	35
すりガラス状陰影	0	2	6	4	6	1	0	19
気管支拡張	0	0	0	0	2	1	0	3
前縦隔腫瘤	0	1	1	2	0	0	0	4
総計	3	14	38	43	39	10	0	147

<女性>

	～29	30～39	40～49	50～59	60～69	70～79	80～	総計
著変なし	1	2	1	2	0	0	0	6
陳旧性変化	0	4	17	24	19	7	1	72
微小結節影	0	3	9	8	5	2	1	28
結節影	0	0	1	0	1	0	0	2
軽度肺気腫	0	0	1	2	0	1	0	4
中等度肺気腫	0	0	0	0	0	0	0	0
高度肺気腫	0	0	0	0	0	0	0	0
間質影増強	0	0	0	1	1	3	0	5
冠動脈石灰化	0	0	2	3	4	3	0	12
すりガラス状陰影	0	0	2	5	4	2	0	13
気管支拡張	0	0	0	0	0	0	0	0
前縦隔腫瘤	0	0	0	0	1	0	0	1
総計	1	7	26	26	21	7	1	89

⑤ 全国健保管掌健康保険生活習慣病予防健診

<胸部 CT 検査判定結果>

<男性>

	~29	30~39	40~49	50~59	60~69	70~79	80~	合計 (人)	比率 (%)
A	0	2	1	0	1	0	0	4	4.1
B1	0	2	16	17	13	4	0	52	53.6
B2	0	0	9	6	9	1	0	25	25.8
C	0	1	3	5	6	1	0	16	16.5
D	0	0	0	0	0	0	0	0	0.0
E	0	0	0	0	0	0	0	0	0.0
受診者数 (人)	0	5	29	28	29	6	0	97	100.0
有所見者数 (人)	0	3	28	28	28	6	0	93	95.9
有所見者率 (%)	0.0	60.0	96.6	100.0	96.6	100.0	0.0	95.9	

<女性>

	~29	30~39	40~49	50~59	60~69	70~79	80~	合計 (人)	比率 (%)
A	0	0	0	0	0	0	0	0	0.0
B1	0	0	5	7	1	0	0	13	48.1
B2	0	1	3	1	2	1	0	8	29.6
C	0	0	1	2	2	0	0	5	18.5
D	0	0	1	0	0	0	0	1	3.7
E	0	0	0	0	0	0	0	0	0.0
受診者数 (人)	0	1	10	10	5	1		27	100.0
有所見者数 (人)	0	1	10	10	5	1	0	27	100.0
有所見者率 (%)	0.0	100.0	100.0	100.0	100.0	100.0	0.0	100.0	

<胸部 CT 検査疾患別一覧>

<男性>

	～29	30～39	40～49	50～59	60～69	70～79	80～	総計
著変なし	0	2	1	0	1	0	0	4
陳旧性変化	0	3	17	21	17	4	0	62
微小結節影	0	0	5	8	8	1	0	22
結節影	0	0	0	0	0	0	0	0
軽度肺気腫	0	1	16	12	11	1	0	41
中等度肺気腫	0	0	0	0	1	0	0	1
高度肺気腫	0	0	0	0	0	0	0	0
間質影増強	0	0	0	2	2	0	0	4
冠動脈石灰化	0	0	3	4	10	4	0	21
すりガラス状陰影	0	1	3	2	4	1	0	11
気管支拡張	0	0	0	0	1	2	0	3
前縦隔腫瘤	0	0	1	2	0	0	0	3
総計	0	5	29	28	29	6	0	97

<女性>

	～29	30～39	40～49	50～59	60～69	70～79	80～	総計
著変なし	0	0	0	0	0	0	0	0
陳旧性変化	0	1	6	10	5	1	0	23
微小結節影	0	1	2	4	2	0	0	9
結節影	0	0	1	0	0	0	0	1
軽度肺気腫	0	0	0	1	0	0	0	1
中等度肺気腫	0	0	0	0	0	0	0	0
高度肺気腫	0	0	0	0	0	0	0	0
間質影増強	0	0	0	0	1	0	0	1
冠動脈石灰化	0	0	1	1	2	0	0	4
すりガラス状陰影	0	0	1	2	1	1	0	5
気管支拡張	0	0	0	0	0	1	0	1
前縦隔腫瘤	0	0	0	0	1	0	0	1
総計	0	1	10	10	5	1	0	27