

7. 消化器

(1) 上部消化管X線検査

① 1日人間ドック

<上部消化管X線検査判定結果>

<男性>

	~29	30~39	40~49	50~59	60~69	70~79	80~	合計 (人)	比率 (%)
A	16	591	1,334	1,410	587	124	0	4,062	74.5
B1	0	22	107	174	69	18	1	391	7.2
B2	2	51	209	377	189	47	1	876	16.1
C	0	0	0	0	0	0	0	0	0.0
D	0	6	24	63	21	11	0	125	2.3
E	0	0	0	0	0	0	0	0	0.0
受診者数(人)	18	670	1,674	2,024	866	200	2	5,454	100.0
有所見者数(人)	2	79	340	614	279	76	2	1,392	25.5
有所見者率(%)	11.1	11.8	20.3	30.3	32.2	38.0	100.0	25.5	

<女性>

	~29	30~39	40~49	50~59	60~69	70~79	80~	合計 (人)	比率 (%)
A	6	339	866	794	303	67	0	2,375	65.7
B1	0	38	152	188	56	8	0	442	12.2
B2	0	54	224	309	135	17	0	739	20.4
C	0	0	0	0	0	0	0	0	0.0
D	0	4	11	22	22	2	0	61	1.7
E	0	0	0	0	0	0	0	0	0.0
受診者数(人)	6	435	1,253	1,313	516	94	0	3,617	100.0
有所見者数(人)	0	96	387	519	213	27	0	1,242	34.3
有所見者率(%)	0.0	22.1	30.9	39.5	41.3	28.7	0.0	34.3	

<上部消化管 X 線検査疾患別一覧>

<男性>

	～29	30～39	40～49	50～59	60～69	70～79	80～	総計
著変なし	16	591	1,334	1,410	587	124	0	4,062
慢性胃炎	2	37	114	221	122	37	0	533
びらん性胃炎	0	4	17	34	13	7	0	75
胃ポリープ	0	29	155	259	79	19	1	542
胃隆起性病変	0	3	5	16	5	2	0	31
胃潰瘍	0	0	1	1	0	0	0	2
胃潰瘍癒痕	0	1	8	11	17	2	0	39
胃粘膜下腫瘍	0	0	10	18	6	2	0	36
陰影斑(バリウム斑)	0	0	4	15	1	4	0	24
胃陥凹性病変	0	0	1	7	1	0	0	9
ひだ中断(粘膜中断)	0	0	1	0	0	0	0	1
粘膜不整	0	2	3	20	6	3	0	34
十二指腸潰瘍	0	0	0	0	0	0	0	0
十二指腸潰瘍癒痕	0	5	20	44	25	4	0	98
食道隆起性病変	0	1	4	10	4	0	0	19
総計	18	670	1,674	2,024	866	200	2	5,454

<女性>

	～29	30～39	40～49	50～59	60～69	70～79	80～	総計
著変なし	6	339	866	794	303	67	0	2,375
慢性胃炎	0	22	56	101	64	6	0	249
びらん性胃炎	0	2	13	15	9	2	0	41
胃ポリープ	0	64	287	360	103	14	0	828
胃隆起性病変	0	2	8	7	8	0	0	25
胃潰瘍	0	0	0	0	1	0	0	1
胃潰瘍癒痕	0	0	1	3	4	1	0	9
胃粘膜下腫瘍	0	1	9	9	14	0	0	33
陰影斑(バリウム斑)	0	1	4	5	2	1	0	13
胃陥凹性病変	0	0	0	1	1	0	0	2
ひだ中断(粘膜中断)	0	0	0	0	0	0	0	0
粘膜不整	0	0	1	6	3	1	0	11
十二指腸潰瘍	0	0	1	0	0	0	0	1
十二指腸潰瘍癒痕	0	1	5	16	12	1	0	35
食道隆起性病変	0	0	2	3	3	1	0	9
総計	6	435	1,253	1,313	516	94	0	3,617

② 2 日人間ドック

<上部消化管 X 線検査判定結果>

<男性>

	~29	30~39	40~49	50~59	60~69	70~79	80~	合計 (人)	比率 (%)
A	0	2	9	10	3	2	0	26	72.2
B1	0	0	0	2	0	3	0	5	13.9
B2	0	0	0	2	2	0	0	4	11.1
C	0	0	0	0	0	0	0	0	0.0
D	0	0	0	0	0	1	0	1	2.8
E	0	0	0	0	0	0	0	0	0.0
受診者数 (人)	0	2	9	14	5	6	0	36	100.0
有所見者数 (人)	0	0	0	4	2	4	0	10	27.8
有所見者率 (%)	0.0	0.0	0.0	28.6	40.0	66.7	0.0	27.8	

<女性>

	~29	30~39	40~49	50~59	60~69	70~79	80~	合計 (人)	比率 (%)
A	0	1	1	2	0	0	0	4	50.0
B1	0	0	1	1	0	0	0	2	25.0
B2	0	0	0	1	0	0	0	1	12.5
C	0	0	0	0	0	0	0	0	0.0
D	0	0	1	0	0	0	0	1	12.5
E	0	0	0	0	0	0	0	0	0.0
受診者数 (人)	0	1	3	4	0	0	0	8	100.0
有所見者数 (人)	0	0	2	2	0	0	0	4	50.0
有所見者率 (%)	0.0	0.0	66.7	50.0	0.0	0.0	0.0	50.0	

<上部消化管 X 線検査疾患別一覧>

<男性>

	～29	30～39	40～49	50～59	60～69	70～79	80～	総計
著変なし	0	2	9	10	3	2	0	26
慢性胃炎	0	0	0	3	2	1	0	6
びらん性胃炎	0	0	0	0	0	2	0	2
胃ポリープ	0	0	0	1	0	2	0	3
胃隆起性病変	0	0	0	0	0	1	0	1
胃潰瘍	0	0	0	0	0	0	0	0
胃潰瘍癒痕	0	0	0	0	0	0	0	0
胃粘膜下腫瘍	0	0	0	0	0	1	0	1
陰影斑(バリウム斑)	0	0	0	0	0	0	0	0
胃陥凹性病変	0	0	0	0	0	0	0	0
ひだ中断(粘膜中断)	0	0	0	0	0	0	0	0
粘膜不整	0	0	0	0	0	0	0	0
十二指腸潰瘍	0	0	0	0	0	0	0	0
十二指腸潰瘍癒痕	0	0	0	0	0	0	0	0
食道隆起性病変	0	0	0	0	0	0	0	0
総計	0	2	9	14	5	6	0	36

<女性>

	～29	30～39	40～49	50～59	60～69	70～79	80～	総計
著変なし	0	1	1	2	0	0	0	4
慢性胃炎	0	0	0	1	0	0	0	1
びらん性胃炎	0	0	0	0	0	0	0	0
胃ポリープ	0	0	1	1	0	0	0	2
胃隆起性病変	0	0	0	0	0	0	0	0
胃潰瘍	0	0	0	0	0	0	0	0
胃潰瘍癒痕	0	0	0	0	0	0	0	0
胃粘膜下腫瘍	0	0	1	0	0	0	0	1
陰影斑(バリウム斑)	0	0	0	0	0	0	0	0
胃陥凹性病変	0	0	0	0	0	0	0	0
ひだ中断(粘膜中断)	0	0	0	0	0	0	0	0
粘膜不整	0	0	0	0	0	0	0	0
十二指腸潰瘍	0	0	0	0	0	0	0	0
十二指腸潰瘍癒痕	0	0	0	0	0	0	0	0
食道隆起性病変	0	0	0	0	0	0	0	0
総計	0	1	3	4	0	0	0	8

③ 施設内健診（協会けんぽ含む）

<上部消化管 X 線検査判定結果>

<男性>

	～29	30～39	40～49	50～59	60～69	70～79	80～	合計 (人)	比率 (%)
A	20	1,192	1,969	1,113	655	65	0	5,014	65.2
B1	1	141	279	249	207	30	0	907	11.8
B2	1	186	389	369	355	37	0	1,337	17.4
C	0	0	0	0	0	0	0	0	0.0
D	0	39	103	138	140	15	0	435	5.7
E	0	0	0	0	0	0	0	0	0.0
受診者数 (人)	22	1,558	2,740	1,869	1,357	147	0	7,693	100.0
有所見者数 (人)	2	366	771	756	702	82	0	2,679	34.8
有所見者率 (%)	9.1	23.5	28.1	40.4	51.7	55.8	0.0	34.8	

<女性>

	～29	30～39	40～49	50～59	60～69	70～79	80～	合計 (人)	比率 (%)
A	16	587	1,151	744	313	16	0	2,827	59.0
B1	2	131	444	318	129	17	0	1,041	21.7
B2	0	100	282	258	116	5	0	761	15.9
C	0	0	0	0	0	0	0	0	0.0
D	0	14	53	48	42	6	0	163	3.4
E	0	0	0	0	0	0	0	0	0.0
受診者数 (人)	18	832	1,930	1,368	600	44	0	4,792	100.0
有所見者数 (人)	2	245	779	624	287	28	0	1,965	41.0
有所見者率 (%)	11.1	29.4	40.4	45.6	47.8	63.6	0.0	41.0	

<上部消化管 X 線検査疾患別一覧>

<男性>

	～29	30～39	40～49	50～59	60～69	70～79	80～	総計
著変なし	20	1,192	1,969	1,113	655	65	0	5,014
慢性胃炎	2	224	470	493	520	57	0	1,766
びらん性胃炎	0	9	18	33	18	0	0	78
胃ポリープ	0	104	217	170	102	7	0	600
胃隆起性病変	0	10	18	17	30	1	0	76
胃潰瘍	0	0	2	4	2	0	0	8
胃潰瘍癒痕	0	5	20	35	26	6	0	92
胃粘膜下腫瘍	0	10	16	15	14	4	0	59
陰影斑(バリウム斑)	0	3	9	10	12	1	0	35
胃陥凹性病変	0	1	3	5	6	2	0	17
ひだ中断(粘膜中断)	0	0	1	0	2	0	0	3
粘膜不整	0	12	45	52	57	7	0	173
十二指腸潰瘍	0	1	1	0	1	0	0	3
十二指腸潰瘍癒痕	0	11	46	29	26	3	115	230
食道隆起性病変	0	0	1	4	2	0	7	14
総計	22	1,558	2,740	1,869	1,357	147	0	7,693

<女性>

	～29	30～39	40～49	50～59	60～69	70～79	80～	総計
著変なし	16	587	1,151	744	313	16	0	2,827
慢性胃炎	0	79	257	272	164	17	0	789
びらん性胃炎	0	3	24	10	5	3	0	45
胃ポリープ	2	148	472	317	93	7	0	1,039
胃隆起性病変	0	5	12	8	4	2	0	31
胃潰瘍	0	1	0	0	0	0	0	1
胃潰瘍癒痕	0	3	4	6	7	0	0	20
胃粘膜下腫瘍	0	6	10	11	9	2	0	38
陰影斑(バリウム斑)	0	0	3	5	2	1	0	11
胃陥凹性病変	0	0	7	4	6	0	0	17
ひだ中断(粘膜中断)	0	0	0	2	0	0	0	2
粘膜不整	0	2	17	17	19	3	0	58
十二指腸潰瘍	0	0	0	0	0	0	0	0
十二指腸潰瘍癒痕	0	3	9	11	8	1	0	32
食道隆起性病変	0	0	3	0	1	0	0	4
総計	18	832	1,930	1,368	600	44	0	4,792

④ 施設外健診（協会けんぽ含む）

<上部消化管X線検査判定結果>

<男性>

	～29	30～39	40～49	50～59	60～69	70～79	80～	合計 (人)	比率 (%)
A	11	462	911	742	693	328	0	3,147	54.7
B1	3	175	425	504	765	469	5	2,346	40.8
B2	0	0	0	1	0	0	0	1	0.0
C	0	0	0	0	0	0	0	0	0.0
D	0	10	32	66	86	65	0	259	4.5
E	0	0	0	0	0	0	0	0	0.0
受診者数 (人)	14	647	1,368	1,313	1,544	862	5	5,753	100.0
有所見者数 (人)	3	185	457	571	851	534	5	2,606	45.3
有所見者率 (%)	21.4	28.6	33.4	43.5	55.1	61.9	100.0	45.3	

<女性>

	～29	30～39	40～49	50～59	60～69	70～79	80～	合計 (人)	比率 (%)
A	2	199	347	262	397	175	0	1,382	48.0
B1	0	68	213	285	522	307	0	1,395	48.5
B2	0	0	0	0	0	0	0	0	0.0
C	0	0	0	0	0	0	0	0	0.0
D	0	4	9	17	45	27	0	102	3.5
E	0	0	0	0	0	0	0	0	0.0
受診者数 (人)	2	271	569	564	964	509	0	2,879	100.0
有所見者数 (人)	0	72	222	302	567	334	0	1,497	52.0
有所見者率 (%)	0.0	26.6	39.0	53.5	58.8	65.6	0.0	52.0	

<上部消化管 X 線検査疾患別一覧>

<男性>

	～29	30～39	40～49	50～59	60～69	70～79	80～	総計
著変なし	11	462	911	742	693	328	0	3,147
慢性胃炎	2	113	285	357	611	418	4	1,790
びらん性胃炎	1	14	41	55	97	49	0	257
胃ポリープ	0	50	111	118	110	42	1	432
胃隆起性病変	0	1	6	15	20	15	0	57
胃潰瘍	0	0	2	5	2	0	0	9
胃潰瘍癒痕	0	4	11	14	34	21	0	84
胃粘膜下腫瘍	0	3	7	7	9	6	0	32
陰影斑(バリウム斑)	0	0	7	15	23	14	0	59
胃陥凹性病変	0	1	1	3	2	3	0	10
ひだ中断(粘膜中断)	0	0	0	1	6	0	0	7
粘膜不整	0	1	6	12	13	10	0	42
十二指腸潰瘍	0	0	0	0	0	0	0	0
十二指腸潰瘍癒痕	0	8	19	15	25	11	0	78
食道隆起性病変	0	1	1	2	4	2	0	10
総計	14	647	1,368	1,313	1,544	862	5	5,753

<女性>

	～29	30～39	40～49	50～59	60～69	70～79	80～	総計
著変なし	2	199	347	262	397	175	0	1,382
慢性胃炎	0	18	75	123	341	225	0	782
びらん性胃炎	0	11	28	28	67	36	0	170
胃ポリープ	0	43	115	134	152	58	0	502
胃隆起性病変	0	1	2	5	10	14	0	32
胃潰瘍	0	0	0	1	2	0	0	3
胃潰瘍癒痕	0	0	2	2	10	6	0	20
胃粘膜下腫瘍	0	0	4	5	12	2	0	23
陰影斑(バリウム斑)	0	0	1	7	9	5	0	22
胃陥凹性病変	0	0	1	0	3	0	0	4
ひだ中断(粘膜中断)	0	1	0	0	1	1	0	3
粘膜不整	0	1	0	2	6	4	0	13
十二指腸潰瘍	0	0	0	0	0	0	0	0
十二指腸潰瘍癒痕	0	0	2	5	10	11	0	28
食道隆起性病変	0	0	1	0	1	1	0	3
総計	2	271	569	564	964	509	0	2,879

⑤ 全国健康保険協会管掌健康保険生活習慣病予防健診[再掲]

<上部消化管X線検査判定結果>

<男性>

	~29	30~39	40~49	50~59	60~69	70~79	80~	合計 (人)	比率 (%)
A	0	1,004	1,771	1,001	594	41	0	4,411	64.7
B1	0	119	266	257	182	15	0	839	12.3
B2	0	159	357	325	310	31	0	1,182	17.3
C	0	0	0	0	0	0	0	0	0.0
D	0	34	96	125	121	9	0	385	5.6
E	0	0	0	0	0	0	0	0	0.0
受診者数(人)	0	1,316	2,490	1,708	1,207	96	0	6,817	100.0
有所見者数(人)	0	312	719	707	613	55	0	2,406	35.3
有所見者率(%)	0.0	23.7	28.9	41.4	50.8	57.3	0.0	35.3	

<女性>

	~29	30~39	40~49	50~59	60~69	70~79	80~	合計 (人)	比率 (%)
A	0	427	801	484	208	5	0	1,925	58.2
B1	0	86	307	217	84	6	0	700	21.2
B2	0	74	223	182	98	3	0	580	17.5
C	0	0	0	0	0	0	0	0	0.0
D	0	10	34	26	30	2	0	102	3.1
E	0	0	0	0	0	0	0	0	0.0
受診者数(人)	0	597	1,365	909	420	16	0	3,307	100.0
有所見者数(人)	0	170	564	425	212	11	0	1,382	41.8
有所見者率(%)	0.0	28.5	41.3	46.8	50.5	68.8	0.0	41.8	

<上部消化管 X 線検査疾患別一覧>

<男性>

	～29	30～39	40～49	50～59	60～69	70～79	80～	総計
著変なし	0	1,004	1,771	1,001	594	41	0	4,411
慢性胃炎	0	187	438	464	450	39	0	1,578
びらん性胃炎	0	10	20	31	19	0	0	80
胃ポリープ	0	89	197	155	94	4	0	539
胃隆起性病変	0	10	19	15	24	0	0	68
胃潰瘍	0	0	2	3	2	0	0	7
胃潰瘍癒痕	0	3	21	31	21	6	0	82
胃粘膜下腫瘍	0	9	15	13	13	2	0	52
陰影斑(バリウム斑)	0	3	12	13	9	0	0	37
胃陥凹性病変	0	0	3	5	3	2	0	13
ひだ中断(粘膜中断)	0	0	1	0	2	0	0	3
粘膜不整	0	9	35	40	49	4	0	137
十二指腸潰瘍	0	1	1	0	1	0	0	3
十二指腸潰瘍癒痕	0	9	47	25	25	2	0	108
食道隆起性病変	0	0	0	4	2	0	0	6
総計	0	1,316	2,490	1,708	1,207	96	0	6,817

<女性>

	～29	30～39	40～49	50～59	60～69	70～79	80～	総計
著変なし	0	427	801	484	208	5	0	1,925
慢性胃炎	0	61	185	192	129	6	0	573
びらん性胃炎	0	1	21	8	4	2	0	36
胃ポリープ	0	99	338	211	67	4	0	719
胃隆起性病変	0	3	10	5	2	1	0	21
胃潰瘍	0	1	0	0	0	0	0	1
胃潰瘍癒痕	0	2	1	2	3	0	0	8
胃粘膜下腫瘍	0	4	9	6	6	1	0	26
陰影斑(バリウム斑)	0	0	3	2	2	0	0	7
胃陥凹性病変	0	0	5	2	6	0	0	13
ひだ中断(粘膜中断)	0	0	0	1	0	0	0	1
粘膜不整	0	2	11	10	14	2	0	39
十二指腸潰瘍	0	0	0	0	0	0	0	0
十二指腸潰瘍癒痕	0	2	3	7	3	0	0	15
食道隆起性病変	0	0	1	0	0	0	0	1
総計	0	597	1,365	909	420	16	0	3,307