

(6)ペプシノゲン

萎縮性胃炎の強い人に胃がんが発生しやすいことが知られている。

この萎縮性胃炎の程度を調べる検査である。

有所見者はD以上とする。

<ペプシノゲン検査判定結果>

① 1日人間ドック

<男性>

	～29	30～39	40～49	50～59	60～69	70～79	80～	受診者数	比率(%)
A	3	193	616	841	853	276	28	2,810	95.0
B1	0	0	0	0	0	0	0	0	0.0
B2	0	0	0	0	0	0	0	0	0.0
C	0	0	0	0	0	0	0	0	0.0
D	0	5	10	41	52	33	8	149	5.0
E	0	0	0	0	0	0	0	0	0.0
F	0	0	0	0	0	0	0	0	0.0
受診者数	3	198	626	882	905	309	36	2,959	100.0
有所見者数	0	5	10	41	52	33	8	149	5.0
有所見者率(%)	0.0	2.5	1.6	4.6	5.7	10.7	22.2	5.0	

<女性>

	～29	30～39	40～49	50～59	60～69	70～79	80～	受診者数	比率(%)
A	2	98	330	449	361	111	12	1,363	94.3
B1	0	0	0	0	0	0	0	0	0.0
B2	0	0	0	0	0	0	0	0	0.0
C	0	0	0	0	0	0	0	0	0.0
D	1	2	8	26	35	6	4	82	5.7
E	0	0	0	0	0	0	0	0	0.0
F	0	0	0	0	0	0	0	0	0.0
受診者数	3	100	338	475	396	117	16	1,445	100.0
有所見者数	1	2	8	26	35	6	4	82	5.7
有所見者率(%)	33.3	2.0	2.4	5.5	8.8	5.1	25.0	5.7	

② 2日人間ドック

<男性>

	～29	30～39	40～49	50～59	60～69	70～79	80～	受診者数	比率(%)
A	9	199	662	877	802	369	50	2,968	95.6
B1	0	0	0	0	0	0	0	0	0.0
B2	0	0	0	0	0	0	0	0	0.0
C	0	0	0	0	0	0	0	0	0.0
D	0	5	9	31	44	34	12	135	4.4
E	0	0	0	0	0	0	0	0	0.0
F	0	0	0	0	0	0	0	0	0.0
受診者数	9	204	671	908	846	403	62	3,103	100.0
有所見者数	0	5	9	31	44	34	12	135	4.4
有所見者率(%)	0.0	2.5	1.3	3.4	5.2	8.4	19.4	4.4	

<女性>

	～29	30～39	40～49	50～59	60～69	70～79	80～	受診者数	比率(%)
A	4	39	196	323	313	156	19	1,050	94.3
B1	0	0	0	0	0	0	0	0	0.0
B2	0	0	0	0	0	0	0	0	0.0
C	0	0	0	0	0	0	0	0	0.0
D	0	5	8	13	20	13	4	63	5.7
E	0	0	0	0	0	0	0	0	0.0
F	0	0	0	0	0	0	0	0	0.0
受診者数	4	44	204	336	333	169	23	1,113	100.0
有所見者数	0	5	8	13	20	13	4	63	5.7
有所見者率(%)	0.0	11.4	3.9	3.9	6.0	7.7	17.4	5.7	0

③ 施設内健診（協会けんぽ含む）

<男性>

	～29	30～39	40～49	50～59	60～69	70～79	80～	受診者数	比率(%)
A	0	0	3	4	2	0	0	9	100.0
B1	0	0	0	0	0	0	0	0	0.0
B2	0	0	0	0	0	0	0	0	0.0
C	0	0	0	0	0	0	0	0	0.0
D	0	0	0	0	0	0	0	0	0.0
E	0	0	0	0	0	0	0	0	0.0
F	0	0	0	0	0	0	0	0	0.0
受診者数	0	0	3	4	2	0	0	9	100.0
有所見者数	0	0	0	0	0	0	0	0	0.0
有所見者率(%)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	

<女性>

	～29	30～39	40～49	50～59	60～69	70～79	80～	受診者数	比率(%)
A	0	3	12	13	3	0	0	31	91.2
B1	0	0	0	0	0	0	0	0	0.0
B2	0	0	0	0	0	0	0	0	0.0
C	0	0	0	0	0	0	0	0	0.0
D	0	0	1	1	1	0	0	3	8.8
E	0	0	0	0	0	0	0	0	0.0
F	0	0	0	0	0	0	0	0	0.0
受診者数	0	3	13	14	4	0	0	34	100.0
有所見者数	0	0	1	1	1	0	0	3	8.8
有所見者率(%)	0.0	0.0	7.7	7.1	25.0	0.0	0.0	8.8	

⑤ 全国健康保険協会管掌健康保険生活習慣病予防健診〔再掲〕

<男性>

	~29	30~39	40~49	50~59	60~69	70~80	80~	受診者数	比率 (%)
A	0	0	3	4	2	0	0	9	100.0
B1	0	0	0	0	0	0	0	0	0.0
B2	0	0	0	0	0	0	0	0	0.0
C	0	0	0	0	0	0	0	0	0.0
D	0	0	0	0	0	0	0	0	0.0
E	0	0	0	0	0	0	0	0	0.0
F	0	0	0	0	0	0	0	0	0.0
受診者数	0	0	3	4	2	0	0	9	100.0
有所見者数	0	0	0	0	0	0	0	0	0.0
有所見者率 (%)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	

<女性>

	~29	30~39	40~49	50~59	60~69	70~80	80~	受診者数	比率 (%)
A	0	3	12	13	3	0	0	31	91.2
B1	0	0	0	0	0	0	0	0	0.0
B2	0	0	0	0	0	0	0	0	0.0
C	0	0	0	0	0	0	0	0	0.0
D	0	0	1	1	1	0	0	3	8.8
E	0	0	0	0	0	0	0	0	0.0
F	0	0	0	0	0	0	0	0	0.0
受診者数	0	3	13	14	4	0	0	34	100.0
有所見者数	0	0	1	1	1	0	0	3	8.8
有所見者率 (%)	0.0	0.0	7.7	7.1	25.0	0.0	0.0	8.8	