

7. 消化器

(1) 上部消化管X線検査

① 1日人間ドック

<上部消化管X線検査判定結果>

<男性>

	~29	30~39	40~49	50~59	60~69	70~79	80~	合計 (人)	比率 (%)
A	18	541	1,301	1,416	642	130	2	4,050	74.1
B1	0	30	84	161	60	8	0	343	6.3
B2	1	58	222	383	222	49	0	935	17.1
C	0	0	0	0	0	0	0	0	0.0
D	0	5	29	53	38	12	0	137	2.5
E	0	0	0	0	0	0	0	0	0.0
受診者数(人)	19	634	1,636	2,013	962	199	2	5,465	100.0
有所見者数(人)	1	93	335	597	320	69	0	1,415	25.9
有所見者率(%)	5.3	14.7	20.5	29.7	33.3	34.7	0.0	25.9	

<女性>

	~29	30~39	40~49	50~59	60~69	70~79	80~	合計 (人)	比率 (%)
A	9	306	779	761	331	65	0	2,251	63.6
B1	1	37	159	175	68	10	0	450	12.7
B2	1	66	208	311	172	22	0	780	22.0
C	0	0	0	0	0	0	0	0	0.0
D	0	3	10	23	18	7	0	61	1.7
E	0	0	0	0	0	0	0	0	0.0
受診者数(人)	11	412	1,156	1,270	589	104	0	3,542	100.0
有所見者数(人)	2	106	377	509	258	39	0	1,291	36.4
有所見者率(%)	18.2	25.7	32.6	40.1	43.8	37.5	0.0	36.4	

<上部消化管 X 線検査疾患別一覧>

<男性>

	～29	30～39	40～49	50～59	60～69	70～79	80～	総計
著変なし	18	541	1,301	1,416	642	130	2	4,050
慢性胃炎	1	37	133	249	165	41	0	626
びらん性胃炎	0	8	19	38	21	6	0	92
胃ポリープ	0	41	139	243	82	14	0	519
胃隆起性病変	0	2	9	13	5	3	0	32
胃潰瘍	0	0	0	0	0	1	0	1
胃潰瘍癒痕	0	2	7	11	18	4	0	42
胃粘膜下腫瘍	0	0	10	16	7	3	0	36
陰影斑(バリウム斑)	0	1	4	11	5	6	0	27
胃陥凹性病変	0	0	2	6	3	0	0	11
ひだ中断(粘膜中断)	0	0	0	1	0	0	0	1
粘膜不整	0	0	7	14	15	3	0	39
十二指腸潰瘍	0	0	0	0	1	0	0	1
十二指腸潰瘍癒痕	0	4	13	42	20	1	0	80
食道隆起性病変	0	0	5	7	4	0	0	16
総計	19	634	1,636	2,013	962	199	2	5,465

<女性>

	～29	30～39	40～49	50～59	60～69	70～79	80～	総計
著変なし	9	306	779	761	331	65	0	2,251
慢性胃炎	0	24	60	115	91	18	0	308
びらん性胃炎	0	4	11	27	13	4	0	59
胃ポリープ	2	73	291	335	127	13	0	841
胃隆起性病変	0	2	2	8	5	3	0	20
胃潰瘍	0	0	0	0	0	0	0	0
胃潰瘍癒痕	0	1	2	5	2	1	0	11
胃粘膜下腫瘍	0	3	7	14	9	1	0	34
陰影斑(バリウム斑)	0	0	1	1	5	0	0	7
胃陥凹性病変	0	1	1	4	4	0	0	10
ひだ中断(粘膜中断)	0	0	1	0	0	0	0	1
粘膜不整	0	1	2	8	3	3	0	17
十二指腸潰瘍	0	0	0	1	0	0	0	1
十二指腸潰瘍癒痕	0	2	3	10	15	1	0	31
食道隆起性病変	0	2	1	4	3	0	0	10
総計	11	412	1,156	1,270	589	104	0	3,542

② 2 日人間ドック

<上部消化管 X 線検査判定結果>

<男性>

	~29	30~39	40~49	50~59	60~69	70~79	80~	合計 (人)	比率 (%)
A	0	1	9	12	6	2	0	30	78.9
B1	0	0	2	4	2	0	0	8	21.1
B2	0	0	0	0	0	0	0	0	0.0
C	0	0	0	0	0	0	0	0	0.0
D	0	0	0	0	0	0	0	0	0.0
E	0	0	0	0	0	0	0	0	0.0
受診者数 (人)	0	1	11	16	8	2	0	38	100.0
有所見者数 (人)	0	0	2	4	2	0	0	8	21.1
有所見者率 (%)	0.0	0.0	18.2	25.0	25.0	0.0	0.0	21.1	

<女性>

	~29	30~39	40~49	50~59	60~69	70~79	80~	合計 (人)	比率 (%)
A	0	0	3	0	1	0	0	4	50.0
B1	0	0	0	3	1	0	0	4	50.0
B2	0	0	0	0	0	0	0	0	0.0
C	0	0	0	0	0	0	0	0	0.0
D	0	0	0	0	0	0	0	0	0.0
E	0	0	0	0	0	0	0	0	0.0
受診者数 (人)	0	0	3	3	2	0	0	8	100.0
有所見者数 (人)	0	0	0	3	1	0	0	4	50.0
有所見者率 (%)	0.0	0.0	0.0	100.0	50.0	0.0	0.0	50.0	

<上部消化管 X 線検査疾患別一覧>

<男性>

	～29	30～39	40～49	50～59	60～69	70～79	80～	総計
著変なし	0	1	9	12	6	2	0	30
慢性胃炎	0	0	1	2	1	0	0	4
びらん性胃炎	0	0	0	0	0	0	0	0
胃ポリープ	0	0	0	2	1	0	0	3
胃隆起性病変	0	0	0	0	0	0	0	0
胃潰瘍	0	0	0	0	0	0	0	0
胃潰瘍癒痕	0	0	0	0	0	0	0	0
胃粘膜下腫瘍	0	0	1	0	0	0	0	1
陰影斑(バリウム斑)	0	0	0	0	0	0	0	0
胃陥凹性病変	0	0	0	0	0	0	0	0
ひだ中断(粘膜中断)	0	0	0	0	0	0	0	0
粘膜不整	0	0	0	0	0	0	0	0
十二指腸潰瘍	0	0	0	0	0	0	0	0
十二指腸潰瘍癒痕	0	0	0	0	0	0	0	0
食道隆起性病変	0	0	0	0	0	0	0	0
総計	0	1	11	16	8	2	0	38

<女性>

	～29	30～39	40～49	50～59	60～69	70～79	80～	総計
著変なし	0	0	3	0	1	0	0	4
慢性胃炎	0	0	0	1	0	0	0	1
びらん性胃炎	0	0	0	0	0	0	0	0
胃ポリープ	0	0	0	3	1	0	0	4
胃隆起性病変	0	0	0	0	0	0	0	0
胃潰瘍	0	0	0	0	0	0	0	0
胃潰瘍癒痕	0	0	0	0	0	0	0	0
胃粘膜下腫瘍	0	0	0	0	0	0	0	0
陰影斑(バリウム斑)	0	0	0	0	0	0	0	0
胃陥凹性病変	0	0	0	0	0	0	0	0
ひだ中断(粘膜中断)	0	0	0	0	0	0	0	0
粘膜不整	0	0	0	0	0	0	0	0
十二指腸潰瘍	0	0	0	0	0	0	0	0
十二指腸潰瘍癒痕	0	0	0	0	0	0	0	0
食道隆起性病変	0	0	0	0	0	0	0	0
総計	0	0	3	3	2	0	0	8

③ 施設内健診（協会けんぽ含む）

<上部消化管 X 線検査判定結果>

<男性>

	~29	30~39	40~49	50~59	60~69	70~79	80~	合計 (人)	比率 (%)
A	22	1,105	1,811	994	627	72	0	4,631	61.0
B1	3	190	419	323	278	55	0	1,268	16.7
B2	1	165	368	363	333	53	0	1,283	16.9
C	0	0	0	0	0	0	0	0	0.0
D	0	27	95	141	131	18	0	412	5.4
E	0	0	0	0	0	0	0	0	0.0
受診者数(人)	26	1,487	2,693	1,821	1,369	198	0	7,594	100.0
有所見者数(人)	4	382	882	827	742	126	0	2,963	39.0
有所見者率(%)	15.4	25.7	32.8	45.4	54.2	63.6	0.0	39.0	

<女性>

	~29	30~39	40~49	50~59	60~69	70~79	80~	合計 (人)	比率 (%)
A	13	530	1,193	758	301	24	0	2,819	56.6
B1	3	190	543	438	186	26	0	1,386	27.8
B2	1	64	197	206	128	12	0	608	12.2
C	0	0	0	0	0	0	0	0	0.0
D	0	15	47	55	43	11	0	171	3.4
E	0	0	0	0	0	0	0	0	0.0
受診者数(人)	17	799	1,980	1,457	658	73	0	4,984	100.0
有所見者数(人)	4	269	787	699	357	49	0	2,165	43.4
有所見者率(%)	23.5	33.7	39.7	48.0	54.3	67.1	0.0	43.4	

<上部消化管 X 線検査疾患別一覧>

<男性>

	～29	30～39	40～49	50～59	60～69	70～79	80～	総計
著変なし	22	1,105	1,811	994	627	72	0	4,631
慢性胃炎	3	231	532	542	536	99	0	1,943
びらん性胃炎	0	6	26	27	24	3	0	86
胃ポリープ	1	124	269	193	119	16	0	722
胃隆起性病変	0	9	21	30	33	9	0	102
胃潰瘍	0	0	3	3	1	0	0	7
胃潰瘍癒痕	0	6	17	28	31	5	0	87
胃粘膜下腫瘍	0	5	21	22	15	3	0	66
陰影斑(バリウム斑)	0	3	5	8	4	3	0	23
胃陥凹性病変	0	3	6	6	11	1	0	27
ひだ中断(粘膜中断)	0	0	0	2	0	0	0	2
粘膜不整	0	6	39	44	53	5	0	147
十二指腸潰瘍	0	1	0	0	0	0	0	1
十二指腸潰瘍癒痕	0	15	41	29	28	2	0	115
食道隆起性病変	0	0	2	12	8	0	0	22
総計	26	1,487	2,693	1,821	1,369	198	0	7,594

<女性>

	～29	30～39	40～49	50～59	60～69	70～79	80～	総計
著変なし	13	530	1,193	758	301	24	0	2,819
慢性胃炎	0	94	275	280	211	32	0	892
びらん性胃炎	1	7	20	17	12	2	0	59
胃ポリープ	3	162	470	375	119	12	0	1,141
胃隆起性病変	0	3	8	14	19	8	0	52
胃潰瘍	0	1	0	0	1	1	0	3
胃潰瘍癒痕	0	2	4	9	8	3	0	26
胃粘膜下腫瘍	0	8	13	19	9	2	0	51
陰影斑(バリウム斑)	0	2	2	1	0	0	0	5
胃陥凹性病変	0	0	6	3	3	0	0	12
ひだ中断(粘膜中断)	0	0	1	0	0	1	0	2
粘膜不整	0	5	19	16	17	2	0	59
十二指腸潰瘍	0	0	0	0	0	0	0	0
十二指腸潰瘍癒痕	0	1	13	14	8	1	0	37
食道隆起性病変	0	0	2	6	1	1	0	10
総計	17	799	1,980	1,457	658	73	0	4,984

④ 施設外健診（協会けんぽ含む）

<上部消化管X線検査判定結果>

<男性>

	~29	30~39	40~49	50~59	60~69	70~79	80~	合計 (人)	比率 (%)
A	13	438	920	716	667	334	2	3,090	52.7
B1	3	172	526	526	748	550	1	2,526	43.1
B2	0	0	1	0	0	0	0	1	0.0
C	0	0	0	0	0	0	0	0	0.0
D	1	10	34	46	84	72	0	247	4.2
E	0	0	0	0	0	0	0	0	0.0
受診者数(人)	17	620	1,481	1,288	1,499	956	3	5,864	100.0
有所見者数(人)	4	182	561	572	832	622	1	2,774	47.3
有所見者率(%)	23.5	29.4	37.9	44.4	55.5	65.1	33.3	47.3	

<女性>

	~29	30~39	40~49	50~59	60~69	70~79	80~	合計 (人)	比率 (%)
A	0	185	313	260	364	188	0	1,310	47.6
B1	0	71	230	274	467	313	0	1,355	49.3
B2	0	0	0	0	0	1	0	1	0.0
C	0	0	0	0	0	0	0	0	0.0
D	0	3	12	18	28	23	0	84	3.1
E	0	0	0	0	0	0	0	0	0.0
受診者数(人)	0	259	555	552	859	525	0	2,750	100.0
有所見者数(人)	0	74	242	292	495	337	0	1,440	52.4
有所見者率(%)	0.0	28.6	43.6	52.9	57.6	64.2	0.0	52.4	

<上部消化管 X 線検査疾患別一覧>

<男性>

	～29	30～39	40～49	50～59	60～69	70～79	80～	総計
著変なし	13	438	920	716	667	334	2	3,090
慢性胃炎	3	117	353	369	645	509	1	1,997
びらん性胃炎	0	13	55	53	75	45	0	241
胃ポリープ	0	47	135	121	100	46	0	449
胃隆起性病変	1	5	12	7	23	16	0	64
胃潰瘍	0	0	1	0	4	2	0	7
胃潰瘍癒痕	0	2	12	12	18	20	0	64
胃粘膜下腫瘍	0	0	10	7	10	8	0	35
陰影斑(バリウム斑)	0	4	7	11	21	20	0	63
胃陥凹性病変	0	0	1	3	3	5	0	12
ひだ中断(粘膜中断)	0	0	0	1	0	0	0	1
粘膜不整	0	1	6	7	10	10	0	34
十二指腸潰瘍	0	0	0	0	1	0	0	1
十二指腸潰瘍癒痕	0	2	14	12	20	11	0	59
食道隆起性病変	0	1	4	2	1	4	0	12
総計	17	620	1,481	1,288	1,499	956	3	5,864

<女性>

	～29	30～39	40～49	50～59	60～69	70～79	80～	総計
著変なし	0	185	313	260	364	188	0	1,310
慢性胃炎	0	27	79	131	283	243	0	763
びらん性胃炎	0	4	20	26	48	35	0	133
胃ポリープ	0	37	138	132	154	55	0	516
胃隆起性病変	0	2	2	7	14	7	0	32
胃潰瘍	0	0	0	0	0	0	0	0
胃潰瘍癒痕	0	0	2	3	3	7	0	15
胃粘膜下腫瘍	0	2	4	5	11	8	0	30
陰影斑(バリウム斑)	0	1	1	0	2	2	0	6
胃陥凹性病変	0	0	0	1	2	3	0	6
ひだ中断(粘膜中断)	0	0	0	0	1	0	0	1
粘膜不整	0	0	2	2	4	4	0	12
十二指腸潰瘍	0	0	1	0	0	0	0	1
十二指腸潰瘍癒痕	0	0	1	5	11	5	0	22
食道隆起性病変	0	1	0	2	2	2	0	7
総計	0	259	555	552	859	525	0	2,750

⑤ 全国健康保険協会管掌健康保険生活習慣病予防健診 [再掲]

<上部消化管X線検査判定結果>

<男性>

	~29	30~39	40~49	50~59	60~69	70~79	80~	合計 (人)	比率 (%)
A	0	947	1,618	897	559	42	0	4,063	60.1
B1	0	174	412	330	243	26	0	1,185	17.5
B2	0	142	329	321	302	46	0	1,140	16.9
C	0	0	0	0	0	0	0	0	0.0
D	0	23	89	131	119	12	0	374	5.5
E	0	0	0	0	0	0	0	0	0.0
受診者数(人)	0	1,286	2,448	1,679	1,223	126	0	6,762	100.0
有所見者数(人)	0	339	830	782	664	84	0	2,699	39.9
有所見者率(%)	0.0	26.4	33.9	46.6	54.3	66.7	0.0	39.9	

<女性>

	~29	30~39	40~49	50~59	60~69	70~79	80~	合計 (人)	比率 (%)
A	0	386	787	500	197	8	0	1,878	56.4
B1	0	126	365	284	101	8	0	884	26.6
B2	0	43	146	151	102	8	0	450	13.5
C	0	0	0	0	0	0	0	0	0.0
D	0	10	36	35	31	5	0	117	3.5
E	0	0	0	0	0	0	0	0	0.0
受診者数(人)	0	565	1,334	970	431	29	0	3,329	100.0
有所見者数(人)	0	179	547	470	234	21	0	1,451	43.6
有所見者率(%)	0.0	31.7	41.0	48.5	54.3	72.4	0.0	43.6	

<上部消化管 X 線検査疾患別一覧>

<男性>

	～29	30～39	40～49	50～59	60～69	70～79	80～	総計
著変なし	0	947	1,618	897	559	42	0	4,063
慢性胃炎	0	216	507	513	482	63	0	1,781
びらん性胃炎	0	3	27	29	21	0	0	80
胃ポリープ	0	102	244	181	102	11	0	640
胃隆起性病変	0	9	21	28	29	6	0	93
胃潰瘍	0	0	3	3	2	0	0	8
胃潰瘍癒痕	0	5	18	24	26	5	0	78
胃粘膜下腫瘍	0	3	20	18	13	3	0	57
陰影斑(バリウム斑)	0	4	6	7	4	2	0	23
胃陥凹性病変	0	2	5	5	10	0	0	22
ひだ中断(粘膜中断)	0	0	0	1	0	0	0	1
粘膜不整	0	6	34	39	47	4	0	130
十二指腸潰瘍	0	0	0	0	1	0	0	1
十二指腸潰瘍癒痕	0	15	40	27	25	1	0	108
食道隆起性病変	0	0	3	10	9	0	0	22
総計	0	1,286	2,448	1,679	1,223	126	0	6,762

<女性>

	～29	30～39	40～49	50～59	60～69	70～79	80～	総計
著変なし	0	386	787	500	197	8	0	1,878
慢性胃炎	0	62	205	188	145	12	0	612
びらん性胃炎	0	4	11	14	8	1	0	38
胃ポリープ	0	109	311	251	72	8	0	751
胃隆起性病変	0	1	5	9	15	3	0	33
胃潰瘍	0	0	0	0	1	0	0	1
胃潰瘍癒痕	0	2	4	5	6	1	0	18
胃粘膜下腫瘍	0	7	13	14	6	2	0	42
陰影斑(バリウム斑)	0	0	2	0	0	0	0	2
胃陥凹性病変	0	0	4	1	3	0	0	8
ひだ中断(粘膜中断)	0	0	1	0	1	1	0	3
粘膜不整	0	5	15	11	11	2	0	44
十二指腸潰瘍	0	0	0	0	0	0	0	0
十二指腸潰瘍癒痕	0	1	6	10	5	0	0	22
食道隆起性病変	0	0	0	3	0	0	0	3
総計	0	565	1,334	970	431	29	0	3,329