

7. 消化器

(1) 上部消化管 X 線検査

① 1 日人間ドック

< 上部消化管 X 線検査判定結果 >

< 男性 >

	～29	30～39	40～49	50～59	60～69	70～79	80～	合計 (人)	比率 (%)
A	14	458	1,167	1,269	548	101	0	3,557	67.5
B1	2	60	182	301	153	55	0	753	14.3
B2	0	62	197	346	204	55	0	864	16.4
C	0	0	0	0	0	0	0	0	0.0
D	1	9	13	37	23	9	0	92	1.7
E	0	0	0	0	0	0	0	0	0.0
受診者数 (人)	17	589	1,559	1,953	928	220	0	5,266	100.0
有所見者数 (人)	3	131	392	684	380	119	0	1,709	32.5
有所見者率 (%)	17.6	22.2	25.1	35.0	40.9	54.1	0.0	32.5	

< 女性 >

	～29	30～39	40～49	50～59	60～69	70～79	80～	合計 (人)	比率 (%)
A	16	277	686	665	245	56	0	1,945	59.5
B1	1	49	170	275	132	24	0	651	19.9
B2	1	31	213	242	125	21	0	633	19.4
C	0	0	0	0	0	0	0	0	0.0
D	0	3	9	13	10	4	0	39	1.2
E	0	0	0	0	0	0	0	0	0.0
受診者数 (人)	18	360	1,078	1,195	512	105	0	3,268	100.0
有所見者数 (人)	2	83	392	530	267	49	0	1,323	40.5
有所見者率 (%)	11.1	23.1	36.4	44.4	52.1	46.7	0.0	40.5	

<上部消化管 X 線検査疾患別一覧>

<男性>

	～29	30～39	40～49	50～59	60～69	70～79	80～	総計
著変なし	14	458	1,167	1,269	548	101	0	3,557
慢性胃炎	2	73	193	341	221	81	0	911
びらん性胃炎	0	1	3	10	14	2	0	30
胃ポリープ	0	47	160	269	102	17	0	595
胃隆起性病変	0	2	8	13	13	2	0	38
胃潰瘍	0	1	0	1	0	0	0	2
胃潰瘍癒痕	0	2	7	13	9	7	0	38
胃粘膜下腫瘍	1	1	5	12	4	5	0	28
陰影斑(バリウム斑)	0	3	1	6	2	2	0	14
胃陥凹性病変	0	0	0	3	2	1	0	6
ひだ中断(粘膜中断)	0	0	0	0	0	0	0	0
粘膜不整	0	0	6	9	6	1	0	22
十二指腸潰瘍	0	0	0	0	1	0	0	1
十二指腸潰瘍癒痕	0	3	11	21	15	4	0	54
食道隆起性病変	0	0	6	10	6	3	0	25
受診者数(人)	17	589	1,559	1,953	928	220	0	5,266

<女性>

	～29	30～39	40～49	50～59	60～69	70～79	80～	総計
著変なし	16	277	686	665	245	56	0	1,945
慢性胃炎	1	21	96	143	100	25	0	386
びらん性胃炎	0	1	4	14	5	3	0	27
胃ポリープ	1	61	271	343	142	17	0	835
胃隆起性病変	0	1	6	9	10	2	0	28
胃潰瘍	0	0	0	0	0	0	0	0
胃潰瘍癒痕	0	0	1	4	1	0	0	6
胃粘膜下腫瘍	0	0	6	11	8	2	0	27
陰影斑(バリウム斑)	0	0	3	2	0	0	0	5
胃陥凹性病変	0	0	1	1	1	1	0	4
ひだ中断(粘膜中断)	0	0	0	0	0	0	0	0
粘膜不整	0	0	3	4	4	1	0	12
十二指腸潰瘍	0	0	0	0	1	0	0	1
十二指腸潰瘍癒痕	0	0	4	10	6	0	0	20
食道隆起性病変	0	0	1	4	1	0	0	6
受診者数(人)	18	360	1,078	1,195	512	105	0	3,268

② 2日人間ドック

<上部消化管 X線検査判定結果>

<男性>

	～29	30～39	40～49	50～59	60～69	70～79	80～	合計 (人)	比率 (%)
A	0	2	9	12	4	2	0	29	70.7
B1	0	0	0	1	0	2	0	3	7.3
B2	0	0	2	5	0	2	0	9	22.0
C	0	0	0	0	0	0	0	0	0.0
D	0	0	0	0	0	0	0	0	0.0
E	0	0	0	0	0	0	0	0	0.0
受診者数 (人)	0	2	11	18	4	6	0	41	100.0
有所見者数 (人)	0	0	2	6	0	4	0	12	29.3
有所見者率 (%)	0.0	0.0	18.2	33.3	0.0	66.7	0.0	29.3	

<女性>

	～29	30～39	40～49	50～59	60～69	70～79	80～	合計 (人)	比率 (%)
A	0	0	1	0	0	0	0	1	50.0
B1	0	0	0	0	0	0	0	0	0.0
B2	0	0	0	0	1	0	0	1	50.0
C	0	0	0	0	0	0	0	0	0.0
D	0	0	0	0	0	0	0	0	0.0
E	0	0	0	0	0	0	0	0	0.0
受診者数 (人)	0	0	1	0	1	0	0	2	100.0
有所見者数 (人)	0	0	0	0	1	0	0	1	50.0
有所見者率 (%)	0.0	0.0	0.0	0.0	100.0	0.0	0.0	50.0	

<上部消化管 X 線検査疾患別一覧>

<男性>

	～29	30～39	40～49	50～59	60～69	70～79	80～	総計
著変なし	0	2	9	12	4	2	0	29
慢性胃炎	0	0	0	3	0	2	0	5
びらん性胃炎	0	0	0	0	0	2	0	2
胃ポリープ	0	0	1	2	0	1	0	4
胃隆起性病変	0	0	0	1	0	0	0	1
胃潰瘍	0	0	0	0	0	0	0	0
胃潰瘍癒痕	0	0	0	0	0	0	0	0
胃粘膜下腫瘍	0	0	1	0	0	1	0	2
陰影斑(バリウム斑)	0	0	0	0	0	0	0	0
胃陥凹性病変	0	0	0	0	0	0	0	0
ひだ中断(粘膜中断)	0	0	0	0	0	0	0	0
粘膜不整	0	0	0	0	0	0	0	0
十二指腸潰瘍	0	0	0	0	0	0	0	0
十二指腸潰瘍癒痕	0	0	0	0	0	0	0	0
食道隆起性病変	0	0	0	0	0	0	0	0
受診者数(人)	0	2	11	18	4	6	0	41

<女性>

	～29	30～39	40～49	50～59	60～69	70～79	80～	総計
著変なし	0	0	1	0	0	0	0	1
慢性胃炎	0	0	0	0	1	0	0	1
びらん性胃炎	0	0	0	0	0	0	0	0
胃ポリープ	0	0	0	0	0	0	0	0
胃隆起性病変	0	0	0	0	0	0	0	0
胃潰瘍	0	0	0	0	0	0	0	0
胃潰瘍癒痕	0	0	0	0	0	0	0	0
胃粘膜下腫瘍	0	0	0	0	0	0	0	0
陰影斑(バリウム斑)	0	0	0	0	0	0	0	0
胃陥凹性病変	0	0	0	0	0	0	0	0
ひだ中断(粘膜中断)	0	0	0	0	0	0	0	0
粘膜不整	0	0	0	0	0	0	0	0
十二指腸潰瘍	0	0	0	0	0	0	0	0
十二指腸潰瘍癒痕	0	0	0	0	0	0	0	0
食道隆起性病変	0	0	0	0	0	0	0	0
受診者数(人)	0	0	1	0	1	0	0	2

③ 施設内健診（協会けんぽ含む）

< 上部消化管 X 線検査判定結果 >

< 男性 >

	～29	30～39	40～49	50～59	60～69	70～79	80～	合計 (人)	比率 (%)
A	18	1,067	1,765	964	624	90	0	4,528	60.0
B1	2	213	473	384	351	75	0	1,498	19.8
B2	1	133	307	339	322	57	0	1,159	15.4
C	0	0	0	0	0	0	0	0	0.0
D	0	35	85	116	106	21	0	363	4.8
E	0	0	0	0	0	0	0	0	0.0
受診者数 (人)	21	1,448	2,630	1,803	1,403	243	0	7,548	100.0
有所見者数 (人)	3	381	865	839	779	153	0	3,020	40.0
有所見者率 (%)	14.3	26.3	32.9	46.5	55.5	63.0	0.0	40.0	

< 女性 >

	～29	30～39	40～49	50～59	60～69	70～79	80～	合計 (人)	比率 (%)
A	13	550	1,142	714	295	29	0	2,743	56.1
B1	2	178	590	458	227	43	0	1,498	30.7
B2	0	57	153	180	122	9	0	521	10.7
C	0	0	0	0	0	0	0	0	0.0
D	0	5	34	42	34	10	0	125	2.6
E	0	0	0	0	0	0	0	0	0.0
受診者数 (人)	15	790	1,919	1,394	678	91	0	4,887	100.0
有所見者数 (人)	2	240	777	680	383	62	0	2,144	43.9
有所見者率 (%)	13.3	30.4	40.5	48.8	56.5	68.1	0.0	43.9	

<上部消化管 X 線検査疾患別一覧>

<男性>

	～29	30～39	40～49	50～59	60～69	70～79	80～	総計
著変なし	18	1,067	1,765	964	624	90	0	4,528
慢性胃炎	3	245	531	572	593	121	0	2,065
びらん性胃炎	0	3	18	23	21	6	0	71
胃ポリープ	0	114	266	197	118	17	0	712
胃隆起性病変	0	5	20	19	19	1	0	64
胃潰瘍	0	1	2	2	0	0	0	5
胃潰瘍癒痕	0	6	12	21	21	6	0	66
胃粘膜下腫瘍	0	6	16	18	18	1	0	59
陰影斑(バリウム斑)	0	0	5	3	6	4	0	18
胃陥凹性病変	0	3	11	13	15	2	0	44
ひだ中断(粘膜中断)	0	1	1	2	3	0	0	7
粘膜不整	0	12	34	50	43	9	0	148
十二指腸潰瘍	0	1	1	2	0	0	0	4
十二指腸潰瘍癒痕	0	14	24	35	23	6	0	102
食道隆起性病変	0	0	4	9	7	0	0	20
受診者数(人)	21	1,448	2,630	1,803	1,403	243	0	7,548

<女性>

	～29	30～39	40～49	50～59	60～69	70～79	80～	総計
著変なし	13	550	1,142	714	295	29	0	2,743
慢性胃炎	0	83	245	264	218	38	0	848
びらん性胃炎	0	3	10	16	5	2	0	36
胃ポリープ	2	150	496	380	142	18	0	1,188
胃隆起性病変	0	1	11	9	10	0	0	31
胃潰瘍	0	0	1	1	0	0	0	2
胃潰瘍癒痕	0	1	2	7	6	0	0	16
胃粘膜下腫瘍	0	6	10	20	10	2	0	48
陰影斑(バリウム斑)	0	0	0	1	2	1	0	4
胃陥凹性病変	0	0	4	10	1	1	0	16
ひだ中断(粘膜中断)	0	0	2	0	1	0	0	3
粘膜不整	0	3	9	12	13	4	0	41
十二指腸潰瘍	0	0	0	1	0	0	0	1
十二指腸潰瘍癒痕	0	3	12	13	3	1	0	32
食道隆起性病変	0	0	0	4	1	2	0	7
受診者数(人)	15	790	1,919	1,394	678	91	0	4,887

④ 施設外健診（協会けんぽ含む）

<上部消化管 X 線検査判定結果>

<男性>

	～29	30～39	40～49	50～59	60～69	70～79	80～	合計 (人)	比率 (%)
A	14	387	945	605	616	358	0	2,925	54.7
B1	1	133	440	444	641	514	4	2,177	40.7
B2	0	0	0	0	0	0	0	0	0.0
C	0	0	0	0	0	0	0	0	0.0
D	0	6	19	44	73	98	1	241	4.5
E	0	0	0	0	0	0	0	0	0.0
受診者数 (人)	15	526	1,404	1,093	1,330	970	5	5,343	100.0
有所見者数 (人)	1	139	459	488	714	612	5	2,418	45.3
有所見者率 (%)	6.7	26.4	32.7	44.6	53.7	63.1	100.0	45.3	

<女性>

	～29	30～39	40～49	50～59	60～69	70～79	80～	合計 (人)	比率 (%)
A	2	186	322	216	335	182	0	1,243	50.5
B1	2	66	199	209	396	276	0	1,148	46.6
B2	0	0	0	0	0	0	0	0	0.0
C	0	0	0	0	0	0	0	0	0.0
D	0	4	7	11	27	22	0	71	2.9
E	0	0	0	0	0	0	0	0	0.0
受診者数 (人)	4	256	528	436	758	480	0	2,462	100.0
有所見者数 (人)	2	70	206	220	423	298	0	1,219	49.5
有所見者率 (%)	0.0	27.3	39.0	50.5	55.8	62.1	0.0	49.5	

<上部消化管 X 線検査疾患別一覧>

<男性>

	～29	30～39	40～49	50～59	60～69	70～79	80～	総計
著変なし	14	387	945	605	616	358	0	2,925
慢性胃炎	1	90	345	358	600	541	5	1,940
びらん性胃炎	0	0	3	6	6	3	0	18
胃ポリープ	0	44	101	112	110	54	0	421
胃隆起性病変	0	2	1	6	9	21	0	39
胃潰瘍	0	0	1	1	0	2	0	4
胃潰瘍癒痕	0	2	6	6	16	11	1	42
胃粘膜下腫瘍	0	0	7	4	1	13	0	25
陰影斑(バリウム斑)	0	0	0	0	3	0	0	3
胃陥凹性病変	0	1	8	30	50	54	0	143
ひだ中断(粘膜中断)	0	0	0	0	0	0	0	0
粘膜不整	0	1	4	4	11	9	0	29
十二指腸潰瘍	0	0	0	0	0	0	0	0
十二指腸潰瘍癒痕	0	5	12	9	15	8	0	49
食道隆起性病変	0	0	0	1	0	0	0	1
受診者数(人)	15	526	1,404	1,093	1,330	970	5	5,343

<女性>

	～29	30～39	40～49	50～59	60～69	70～79	80～	総計
著変なし	2	186	322	216	335	182	0	1,243
慢性胃炎	1	28	83	108	292	244	0	756
びらん性胃炎	0	0	3	1	4	1	0	9
胃ポリープ	1	41	117	106	126	55	0	446
胃隆起性病変	0	0	2	3	6	7	0	18
胃潰瘍	0	0	0	0	0	0	0	0
胃潰瘍癒痕	0	0	0	1	4	4	0	9
胃粘膜下腫瘍	0	1	1	3	9	5	0	19
陰影斑(バリウム斑)	0	0	1	0	0	0	0	1
胃陥凹性病変	0	1	3	8	10	9	0	31
ひだ中断(粘膜中断)	0	0	0	1	0	0	0	1
粘膜不整	0	1	1	1	3	3	0	9
十二指腸潰瘍	0	0	0	0	0	0	0	0
十二指腸潰瘍癒痕	0	0	2	0	8	1	0	11
食道隆起性病変	0	0	1	0	0	0	0	1
受診者数(人)	4	256	528	436	758	480	0	2,462

⑤ 全国健康保険協会管掌健康保険生活習慣病予防健診 [再掲]

<上部消化管 X 線検査判定結果>

<男性>

	～29	30～39	40～49	50～59	60～69	70～79	80～	合計 (人)	比率 (%)
A	0	919	1,592	886	554	55	0	4,006	59.8
B1	0	185	444	358	313	42	0	1,342	20.0
B2	0	112	279	304	282	49	0	1,026	15.3
C	0	0	0	0	0	0	0	0	0.0
D	0	33	83	104	92	13	0	325	4.9
E	0	0	0	0	0	0	0	0	0.0
受診者数 (人)	0	1,249	2,398	1,652	1,241	159	0	6,699	100.0
有所見者数 (人)	0	330	806	766	687	104	0	2,693	40.2
有所見者率 (%)	0.0	26.4	33.6	46.4	55.4	65.4	0.0	40.2	

<女性>

	～29	30～39	40～49	50～59	60～69	70～79	80～	合計 (人)	比率 (%)
A	0	401	812	513	204	11	0	1,941	57.1
B1	0	121	420	301	146	18	0	1,006	29.6
B2	0	44	110	121	99	7	0	381	11.2
C	0	0	0	0	0	0	0	0	0.0
D	0	3	19	29	19	3	0	73	2.1
E	0	0	0	0	0	0	0	0	0.0
受診者数 (人)	0	569	1,361	964	468	39	0	3,401	100.0
有所見者数 (人)	0	168	549	451	264	28	0	1,460	42.9
有所見者率 (%)	0.0	29.5	40.3	46.8	56.4	71.8	0.0	42.9	

<上部消化管 X 線検査疾患別一覧>

<男性>

	～29	30～39	40～49	50～59	60～69	70～79	80～	総計
著変なし	0	919	1,592	886	554	55	0	4,006
慢性胃炎	0	217	503	520	527	83	0	1,850
びらん性胃炎	0	2	17	20	17	2	0	58
胃ポリープ	0	95	238	183	102	10	0	628
胃隆起性病変	0	4	19	18	17	1	0	59
胃潰瘍	0	1	2	2	0	0	0	5
胃潰瘍癒痕	0	5	14	17	17	5	0	58
胃粘膜下腫瘍	0	5	17	16	15	1	0	54
陰影斑(バリウム斑)	0	0	5	3	3	2	0	13
胃陥凹性病変	0	3	11	15	15	1	0	45
ひだ中断(粘膜中断)	0	0	0	2	2	0	0	4
粘膜不整	0	13	32	42	37	4	0	128
十二指腸潰瘍	0	1	1	2	0	0	0	4
十二指腸潰瘍癒痕	0	14	23	33	17	5	0	92
食道隆起性病変	0	0	3	7	6	0	0	16
受診者数(人)	0	1,249	2,398	1,652	1,241	159	0	6,699

<女性>

	～29	30～39	40～49	50～59	60～69	70～79	80～	総計
著変なし	0	401	812	513	204	11	0	1,941
慢性胃炎	0	62	175	180	158	17	0	592
びらん性胃炎	0	3	7	9	3	0	0	22
胃ポリープ	0	102	351	245	94	8	0	800
胃隆起性病変	0	1	9	4	5	0	0	19
胃潰瘍	0	0	1	1	0	0	0	2
胃潰瘍癒痕	0	0	0	7	3	0	0	10
胃粘膜下腫瘍	0	3	7	15	6	1	0	32
陰影斑(バリウム斑)	0	0	0	1	1	1	0	3
胃陥凹性病変	0	0	0	8	1	0	0	9
ひだ中断(粘膜中断)	0	0	1	0	0	0	0	1
粘膜不整	0	2	5	10	8	1	0	26
十二指腸潰瘍	0	0	0	1	0	0	0	1
十二指腸潰瘍癒痕	0	2	8	8	2	0	0	20
食道隆起性病変	0	0	1	1	0	0	0	2
受診者数(人)	0	569	1,361	964	468	39	0	3,401