

8. 消化器

(1) 上部消化管 X線検査

① 1日人間ドック

< 上部消化管 X線検査判定結果 >

< 男性 >

	～29	30～39	40～49	50～59	60～69	70～79	80～	合計 (人)	比率 (%)
A	18	626	1,517	1,447	539	118	0	4,265	75.4
B1	0	18	110	166	64	14	1	373	6.6
B2	1	57	253	353	197	36	1	898	15.9
C	0	0	0	0	0	0	0	0	0.0
D	0	6	28	57	18	8	0	117	2.1
E	0	0	0	0	0	0	0	0	0.0
受診者数 (人)	19	707	1,908	2,023	818	176	2	5,653	100.0
有所見者数 (人)	1	81	391	576	279	58	2	1,388	24.6
有所見者率 (%)	5.3	11.5	20.5	28.5	34.1	33.0	100.0	24.6	

< 女性 >

	～29	30～39	40～49	50～59	60～69	70～79	80～	合計 (人)	比率 (%)
A	9	399	942	776	297	49	0	2,472	66.8
B1	0	45	174	170	45	11	0	445	12.0
B2	1	71	238	278	120	22	1	731	19.8
C	0	0	0	0	0	0	0	0	0.0
D	0	3	11	21	14	1	0	50	1.4
E	0	0	0	0	0	0	0	0	0.0
受診者数 (人)	10	518	1,365	1,245	476	83	1	3,698	100.0
有所見者数 (人)	1	119	423	469	179	34	1	1,226	33.2
有所見者率 (%)	10.0	23.0	31.0	37.7	37.6	41.0	100.0	33.2	

< 上部消化管 X線検査疾患別一覧 >

< 男性 >

	～29	30～39	40～49	50～59	60～69	70～79	80～	総計
著変なし	18	626	1,517	1,447	539	118	0	4,265
慢性胃炎	1	35	152	224	144	23	1	580
びらん性胃炎	0	6	39	37	22	3	0	107
胃ポリープ	0	25	140	211	66	10	1	453
胃隆起性病変	0	3	8	12	7	4	0	34
胃潰瘍	0	0	1	0	0	0	0	1
胃潰瘍癒痕	0	4	12	22	14	8	0	60
胃粘膜下腫瘍	0	4	11	18	2	2	0	37
陰影斑(バリウム斑)	0	0	6	13	9	1	0	29
胃陥凹性病変	0	2	2	8	3	1	0	16
ひだ中断(粘膜中断)	0	0	0	0	0	0	0	0
粘膜不整	0	1	6	8	2	0	0	17
十二指腸潰瘍	0	0	2	1	0	0	0	3
十二指腸潰瘍癒痕	0	2	23	44	28	3	0	100
食道隆起性病変	0	2	1	3	1	1	0	8
総計	19	707	1,908	2,023	818	176	2	5,653

< 女性 >

	～29	30～39	40～49	50～59	60～69	70～79	80～	総計
著変なし	9	399	942	776	297	49	0	2,472
慢性胃炎	0	28	83	115	73	11	0	310
びらん性胃炎	0	7	18	19	14	5	0	63
胃ポリープ	1	79	297	314	67	17	1	776
胃隆起性病変	0	1	7	3	9	1	0	21
胃潰瘍	0	0	1	1	0	0	0	2
胃潰瘍癒痕	0	1	4	1	5	1	0	12
胃粘膜下腫瘍	0	4	11	7	7	1	0	30
陰影斑(バリウム斑)	0	0	2	6	4	0	0	12
胃陥凹性病変	0	0	1	2	2	0	0	5
ひだ中断(粘膜中断)	0	0	0	1	0	0	0	1
粘膜不整	0	0	1	1	6	0	0	8
十二指腸潰瘍	0	0	0	0	0	0	0	0
十二指腸潰瘍癒痕	0	1	8	18	9	0	0	36
食道隆起性病変	0	0	0	1	3	0	0	4
総計	10	518	1,365	1,245	476	83	1	3,698

② 2日人間ドック

<上部消化管X線検査判定結果>

<男性>

	～29	30～39	40～49	50～59	60～69	70～79	80～	合計 (人)	比率 (%)
A	0	1	11	11	9	1	0	33	68.8
B1	0	0	5	3	0	1	0	9	18.8
B2	0	0	0	2	2	2	0	6	12.5
C	0	0	0	0	0	0	0	0	0.0
D	0	0	0	0	0	0	0	0	0.0
E	0	0	0	0	0	0	0	0	0.0
受診者数 (人)	0	1	16	16	11	4	0	48	100.0
有所見者数 (人)	0	0	5	5	2	3	0	15	31.3
有所見者率 (%)	0.0	0.0	31.3	31.3	18.2	75.0	0.0	31.3	

<女性>

	～29	30～39	40～49	50～59	60～69	70～79	80～	合計 (人)	比率 (%)
A	0	0	3	0	1	0	0	4	30.8
B1	0	0	0	2	1	1	0	4	30.8
B2	0	0	0	3	1	1	0	5	38.5
C	0	0	0	0	0	0	0	0	0.0
D	0	0	0	0	0	0	0	0	0.0
E	0	0	0	0	0	0	0	0	0.0
受診者数 (人)	0	0	3	5	3	2	0	13	100.0
有所見者数 (人)	0	0	0	5	2	2	0	9	69.2
有所見者率 (%)	0.0	0.0	0.0	100.0	66.7	100.0	0.0	69.2	

<上部消化管X線検査疾患別一覧>

<男性>

	～29	30～39	40～49	50～59	60～69	70～79	80～	総計
著変なし	0	1	11	11	9	1	0	33
慢性胃炎	0	0	2	2	2	1	0	7
びらん性胃炎	0	0	3	1	0	0	0	4
胃ポリープ	0	0	1	3	0	1	0	5
胃隆起性病変	0	0	0	0	0	0	0	0
胃潰瘍	0	0	0	0	0	0	0	0
胃潰瘍癒痕	0	0	0	0	0	0	0	0
胃粘膜下腫瘍	0	0	0	0	0	0	0	0
陰影斑(バリウム斑)	0	0	0	0	0	0	0	0
胃陥凹性病変	0	0	0	0	0	0	0	0
ひだ中断(粘膜中断)	0	0	0	0	0	0	0	0
粘膜不整	0	0	0	0	0	0	0	0
十二指腸潰瘍	0	0	0	0	0	0	0	0
十二指腸潰瘍癒痕	0	0	0	0	0	0	0	0
食道隆起性病変	0	0	0	0	0	0	0	0
総計	0	1	16	16	11	4	0	48

<女性>

	～29	30～39	40～49	50～59	60～69	70～79	80～	総計
著変なし	0	0	3	0	1	0	0	4
慢性胃炎	0	0	0	2	1	0	0	3
びらん性胃炎	0	0	0	0	0	0	0	0
胃ポリープ	0	0	0	3	2	1	0	6
胃隆起性病変	0	0	0	0	0	1	0	1
胃潰瘍	0	0	0	0	0	0	0	0
胃潰瘍癒痕	0	0	0	0	0	0	0	0
胃粘膜下腫瘍	0	0	0	1	0	0	0	1
陰影斑(バリウム斑)	0	0	0	0	0	0	0	0
胃陥凹性病変	0	0	0	0	0	0	0	0
ひだ中断(粘膜中断)	0	0	0	0	0	0	0	0
粘膜不整	0	0	0	0	0	0	0	0
十二指腸潰瘍	0	0	0	0	0	0	0	0
十二指腸潰瘍癒痕	0	0	0	0	0	0	0	0
食道隆起性病変	0	0	0	0	0	0	0	0
総計	0	0	3	5	3	2	0	13

③ 施設内健診（協会けんぽ含む）

<上部消化管 X 線検査判定結果>

<男性>

	～29	30～39	40～49	50～59	60～69	70～79	80～	合計 (人)	比率 (%)
A	17	1,228	1,953	1,257	690	44	0	5,189	66.7
B1	1	135	250	229	184	18	0	817	10.5
B2	3	221	408	410	408	20	0	1,470	18.9
C	0	0	0	0	0	0	0	0	0.0
D	0	32	76	91	93	7	0	299	3.8
E	0	0	0	0	0	0	0	0	0.0
受診者数 (人)	21	1,616	2,687	1,987	1,375	89	0	7,775	100.0
有所見者数 (人)	4	388	734	730	685	45	0	2,586	33.3
有所見者率 (%)	19.0	24.0	27.3	36.7	49.8	50.6	0.0	33.3	

<女性>

	～29	30～39	40～49	50～59	60～69	70～79	80～	合計 (人)	比率 (%)
A	25	634	1,166	783	294	11	0	2,913	60.0
B1	2	128	356	281	128	8	0	903	18.6
B2	4	114	333	356	129	6	0	942	19.4
C	0	0	0	0	0	0	0	0	0.0
D	0	15	21	38	18	1	0	93	1.9
E	0	0	0	0	0	0	0	0	0.0
受診者数 (人)	31	891	1,876	1,458	569	26	0	4,851	100.0
有所見者数 (人)	6	257	710	675	275	15	0	1,938	40.0
有所見者率 (%)	19.4	28.8	37.8	46.3	48.3	57.7	0.0	40.0	

<上部消化管 X 線検査疾患別一覧>

<男性>

	～29	30～39	40～49	50～59	60～69	70～79	80～	総計
著変なし	17	1,228	1,953	1,257	690	44	0	5,189
慢性胃炎	3	232	435	469	463	26	0	1,628
びらん性胃炎	0	22	25	27	20	2	0	96
胃ポリープ	1	95	197	142	93	3	0	531
胃隆起性病変	0	12	18	26	21	2	0	79
胃潰瘍	0	3	2	7	8	0	0	20
胃潰瘍癒痕	0	10	24	23	34	1	0	92
胃粘膜下腫瘍	0	5	7	11	7	0	0	30
陰影斑(バリウム斑)	0	0	6	6	5	0	0	17
胃陥凹性病変	0	2	6	5	12	3	0	28
ひだ中断(粘膜中断)	0	0	1	1	2	1	0	5
粘膜不整	0	6	17	25	24	1	0	73
十二指腸潰瘍	0	0	0	0	0	0	0	0
十二指腸潰瘍癒痕	0	13	28	27	25	0	0	93
食道隆起性病変	0	2	1	6	5	3	0	17
総計	21	1,616	2,687	1,987	1,375	89	0	7,775

<女性>

	～29	30～39	40～49	50～59	60～69	70～79	80～	総計
著変なし	25	634	1,166	783	294	11	0	2,913
慢性胃炎	3	88	258	308	164	10	0	831
びらん性胃炎	0	15	10	28	6	1	0	60
胃ポリープ	3	143	410	285	79	1	0	921
胃隆起性病変	0	6	5	23	9	0	0	43
胃潰瘍	0	0	1	2	0	0	0	3
胃潰瘍癒痕	0	4	3	4	5	0	0	16
胃粘膜下腫瘍	0	4	11	16	2	1	0	34
陰影斑(バリウム斑)	0	1	1	2	0	0	0	4
胃陥凹性病変	0	1	3	6	4	0	0	14
ひだ中断(粘膜中断)	0	0	0	1	0	0	0	1
粘膜不整	0	1	11	9	2	1	0	24
十二指腸潰瘍	0	1	0	0	0	0	0	1
十二指腸潰瘍癒痕	0	3	8	20	10	0	0	41
食道隆起性病変	0	0	1	2	2	0	0	5
総計	31	891	1,876	1,458	569	26	0	4,851

④ 施設外健診（協会けんぽ含む）

<上部消化管X線検査判定結果>

<男性>

	～29	30～39	40～49	50～59	60～69	70～79	80～	合計 (人)	比率 (%)
A	12	677	1,114	1,057	1,300	640	4	4,804	67.3
B1	3	150	421	522	608	323	5	2,032	28.5
B2	0	0	2	1	0	0	0	3	0.0
C	0	0	0	0	0	0	0	0	0.0
D	0	9	38	58	114	80	0	299	4.2
E	0	0	0	0	0	0	0	0	0.0
受診者数 (人)	15	836	1,575	1,638	2,022	1,043	9	7,138	100.0
有所見者数 (人)	3	159	461	581	722	403	5	2,334	32.7
有所見者率 (%)	20.0	19.0	29.3	35.5	35.7	38.6	55.6	32.7	

<女性>

	～29	30～39	40～49	50～59	60～69	70～79	80～	合計 (人)	比率 (%)
A	0	261	440	457	788	377	3	2,326	63.3
B1	1	71	199	262	476	234	0	1,243	33.8
B2	0	0	0	0	0	0	0	0	0.0
C	0	0	0	0	0	0	0	0	0.0
D	0	2	7	18	47	33	0	107	2.9
E	0	0	0	0	0	0	0	0	0.0
受診者数 (人)	1	334	646	737	1,311	644	3	3,676	100.0
有所見者数 (人)	1	73	206	280	523	267	0	1,350	36.7
有所見者率 (%)	100.0	21.9	31.9	38.0	39.9	41.5	0.0	36.7	

<上部消化管X線検査疾患別一覧>

<男性>

	～29	30～39	40～49	50～59	60～69	70～79	80～	総計
著変なし	12	677	1,114	1,057	1,300	640	4	4,804
慢性胃炎	1	77	231	318	350	220	4	1,201
びらん性胃炎	1	22	78	96	116	47	1	361
胃ポリープ	1	40	108	121	127	48	0	445
胃隆起性病変	0	7	13	15	37	18	0	90
胃潰瘍	0	0	6	4	6	2	0	18
胃潰瘍癒痕	0	5	10	13	40	22	0	90
胃粘膜下腫瘍	0	2	1	8	6	5	0	22
陰影斑(バリウム斑)	0	3	11	14	23	15	0	66
胃陥凹性病変	0	0	2	3	6	3	0	14
ひだ中断(粘膜中断)	0	0	0	0	2	0	0	2
粘膜不整	0	1	5	11	20	15	0	52
十二指腸潰瘍	0	0	0	0	0	0	0	0
十二指腸潰瘍癒痕	0	5	21	24	32	15	0	97
食道隆起性病変	0	0	1	2	3	1	0	7
総計	15	836	1,575	1,638	2,022	1,043	9	7,138

<女性>

	～29	30～39	40～49	50～59	60～69	70～79	80～	総計
著変なし	0	261	440	457	788	377	3	2,326
慢性胃炎	0	18	51	86	204	124	0	483
びらん性胃炎	0	7	18	33	104	49	0	211
胃ポリープ	1	48	124	138	163	64	0	538
胃隆起性病変	0	1	1	5	17	9	0	33
胃潰瘍	0	0	1	1	0	1	0	3
胃潰瘍癒痕	0	0	2	4	11	6	0	23
胃粘膜下腫瘍	0	1	3	2	8	8	0	22
陰影斑(バリウム斑)	0	0	2	2	7	6	0	17
胃陥凹性病変	0	0	0	0	0	0	0	0
ひだ中断(粘膜中断)	0	0	0	0	1	0	0	1
粘膜不整	0	0	0	3	10	4	0	17
十二指腸潰瘍	0	0	0	0	0	0	0	0
十二指腸潰瘍癒痕	0	0	6	10	16	11	0	43
食道隆起性病変	0	0	0	0	1	1	0	2
総計	1	334	646	737	1,311	644	3	3,676

⑤ 全国健康保険協会管掌健康保険生活習慣病予防健診[再掲]

<上部消化管X線検査判定結果>

<男性>

	～29	30～39	40～49	50～59	60～69	70～79	80～	合計 (人)	比率 (%)
A	0	1,130	1,787	1,178	625	34	0	4,754	66.5
B1	0	136	258	256	163	9	0	822	11.5
B2	0	193	363	355	368	17	0	1,296	18.1
C	0	0	0	0	0	0	0	0	0.0
D	0	29	69	90	86	6	0	280	3.9
E	0	0	0	0	0	0	0	0	0.0
受診者数(人)	0	1,488	2,477	1,879	1,242	66	0	7,152	100.0
有所見者数(人)	0	358	690	701	617	32	0	2,398	33.5
有所見者率(%)	0.0	24.1	27.9	37.3	49.7	48.5	0.0	33.5	

<女性>

	～29	30～39	40～49	50～59	60～69	70～79	80～	合計 (人)	比率 (%)
A	0	481	865	570	215	5	0	2,136	60.4
B1	0	94	288	209	78	0	0	669	18.9
B2	0	88	226	239	106	5	0	664	18.8
C	0	0	0	0	0	0	0	0	0.0
D	0	11	13	28	16	0	0	68	1.9
E	0	0	0	0	0	0	0	0	0.0
受診者数(人)	0	674	1,392	1,046	415	10	0	3,537	100.0
有所見者数(人)	0	193	527	476	200	5	0	1,401	39.6
有所見者率(%)	0.0	28.6	37.9	45.5	48.2	50.0	0.0	39.6	

<上部消化管X線検査疾患別一覧>

<男性>

	～29	30～39	40～49	50～59	60～69	70～79	80～	総計
著変なし	0	1,130	1,787	1,178	625	34	0	4,754
慢性胃炎	0	213	415	430	409	17	0	1,484
びらん性胃炎	0	26	28	38	22	1	0	115
胃ポリープ	0	82	175	141	91	2	0	491
胃隆起性病変	0	11	19	22	24	2	0	78
胃潰瘍	0	2	3	6	5	0	0	16
胃潰瘍癒痕	0	9	22	20	28	1	0	80
胃粘膜下腫瘍	0	6	6	13	6	1	0	32
陰影斑(バリウム斑)	0	1	7	7	5	0	0	20
胃陥凹性病変	0	1	6	5	11	3	0	26
ひだ中断(粘膜中断)	0	0	1	1	1	1	0	4
粘膜不整	0	6	13	26	23	0	0	68
十二指腸潰瘍	0	0	0	0	0	0	0	0
十二指腸潰瘍癒痕	0	14	32	29	23	0	0	98
食道隆起性病変	0	2	0	6	4	2	0	14
総計	0	1,488	2,477	1,879	1,242	66	0	7,152

<女性>

	～29	30～39	40～49	50～59	60～69	70～79	80～	総計
著変なし	0	481	865	570	215	5	0	2,136
慢性胃炎	0	69	197	222	112	5	0	605
びらん性胃炎	0	11	10	24	4	0	0	49
胃ポリープ	0	107	300	196	64	0	0	667
胃隆起性病変	0	3	5	16	8	0	0	32
胃潰瘍	0	0	1	2	0	0	0	3
胃潰瘍癒痕	0	4	3	3	6	0	0	16
胃粘膜下腫瘍	0	4	7	9	1	0	0	21
陰影斑(バリウム斑)	0	1	0	2	0	0	0	3
胃陥凹性病変	0	0	3	3	3	0	0	9
ひだ中断(粘膜中断)	0	0	0	1	0	0	0	1
粘膜不整	0	1	5	6	2	0	0	14
十二指腸潰瘍	0	0	0	0	0	0	0	0
十二指腸潰瘍癒痕	0	2	6	19	5	0	0	32
食道隆起性病変	0	0	0	0	2	0	0	2
総計	0	674	1,392	1,046	415	10	0	3,537