

## 7. 消化器

### (1) 上部消化管 X 線検査

① 1 日人間ドック

< 上部消化管 X 線検査判定結果 >

< 男性 >

	～29	30～39	40～49	50～59	60～69	70～79	80～	合計 (人)	比率 (%)
A	8	498	1076	1172	439	60	1	3254	67.4
B1	0	47	173	248	113	13	0	594	12.3
B2	0	69	190	330	262	52	1	904	18.7
C	0	0	0	0	0	0	0	0	0
D	1	9	7	30	16	12	2	77	1.6
E	0	0	0	0	0	0	0	0	0
受診者数 (人)	9	623	1446	1780	830	137	4	4829	100.0
有所見者数 (人)	1	125	370	608	391	77	3	1575	32.6
有所見者率 (%)	11.1	20.1	25.6	34.2	47.1	56.2	75.0	32.6	

< 女性 >

	～29	30～39	40～49	50～59	60～69	70～79	80～	合計 (人)	比率 (%)
A	5	289	659	670	210	31	0	1864	58.7
B1	0	83	273	358	122	9	0	845	26.6
B2	0	22	114	172	96	24	1	429	13.5
C	0	0	0	0	0	0	0	0	0
D	0	4	7	13	9	2	0	35	1.1
E	0	0	0	0	0	0	0	0	0
受診者数 (人)	5	398	1053	1213	437	66	1	3173	100.0
有所見者数 (人)	0	109	394	543	227	35	1	1309	41.3
有所見者率 (%)	0.0	27.4	37.4	44.8	51.9	53.0	100.0	41.3	

## &lt;上部消化管 X 線検査疾患別一覧&gt;

## &lt;男性&gt;

	～29	30～39	40～49	50～59	60～69	70～79	80～	総計
著変なし	8	498	1076	1172	439	61	0	3254
慢性胃炎	0	72	175	325	253	55	0	880
びらん性胃炎	0	1	6	11	12	2	0	32
胃ポリープ	0	42	168	234	104	13	0	561
胃隆起性病変	1	4	4	13	11	3	0	36
胃潰瘍	0	0	0	0	0	1	0	1
胃潰瘍癒痕	0	0	0	0	5	4	0	9
胃粘膜下腫瘍	0	0	7	9	5	3	0	24
陰影斑(バリウム斑)	0	0	0	0	0	0	0	0
胃陥凹性病変	0	1	1	8	2	2	0	14
ひだ中断(粘膜中断)	0	0	0	0	0	0	0	0
粘膜不整	0	3	5	9	6	3	0	26
十二指腸潰瘍	0	0	0	0	0	0	0	0
十二指腸潰瘍癒痕	0	5	8	20	16	1	0	50
食道隆起性病変	0	0	5	10	3	1	0	19
受診者数(人)	9	623	1446	1780	830	137	4	4829

## &lt;女性&gt;

	～29	30～39	40～49	50～59	60～69	70～79	80～	総計
著変なし	5	289	659	670	210	31	0	1864
慢性胃炎	0	23	111	155	91	25	0	405
びらん性胃炎	0	3	5	9	4	0	0	21
胃ポリープ	0	78	274	349	123	10	0	834
胃隆起性病変	0	1	4	11	4	0	0	20
胃潰瘍	0	0	0	0	0	0	0	0
胃潰瘍癒痕	0	0	0	0	0	0	0	0
胃粘膜下腫瘍	0	1	3	7	9	0	0	20
陰影斑(バリウム斑)	0	0	0	0	0	0	0	0
胃陥凹性病変	0	1	1	1	2	0	0	5
ひだ中断(粘膜中断)	0	0	0	0	0	0	0	0
粘膜不整	0	1	3	4	2	2	0	12
十二指腸潰瘍	0	0	1	0	0	0	0	1
十二指腸潰瘍癒痕	0	2	1	5	3	0	0	11
食道隆起性病変	0	0	0	5	1	0	0	6
受診者数(人)	5	398	1053	1213	437	66	1	3173

## ② 2日人間ドック

&lt;上部消化管 X線検査判定結果&gt;

&lt;男性&gt;

	～29	30～39	40～49	50～59	60～69	70～79	80～	合計 (人)	比率 (%)
A	0	1	3	7	4	1	0	16	48.5
B1	0	0	1	4	2	0	0	7	21.2
B2	0	0	2	4	2	2	0	10	30.3
C	0	0	0	0	0	0	0	0	0
D	0	0	0	0	0	0	0	0	0
E	0	0	0	0	0	0	0	0	0
受診者数 (人)	0	1	6	15	8	3	0	33	100.0
有所見者数 (人)	0	0	3	8	4	2	0	17	51.5
有所見者率 (%)	0	0.0	50.0	53.3	50.0	66.7	0	51.5	

&lt;女性&gt;

	～29	30～39	40～49	50～59	60～69	70～79	80～	合計 (人)	比率 (%)
A	0	0	1	0	0	0	0	1	14.3
B1	0	0	0	1	1	1	0	3	42.9
B2	0	0	1	0	2	0	0	3	42.9
C	0	0	0	0	0	0	0	0	0
D	0	0	0	0	0	0	0	0	0
E	0	0	0	0	0	0	0	0	0
受診者数 (人)	0	0	2	1	3	1	0	7	100.0
有所見者数 (人)	0	0	1	1	3	1	0	6	85.7
有所見者率 (%)	0	0	50.0	100.0	100.0	100.0	0	85.7	

## &lt;上部消化管 X 線検査疾患別一覧&gt;

## &lt;男性&gt;

	～29	30～39	40～49	50～59	60～69	70～79	80～	総計
著変なし	0	1	3	7	4	1	0	16
慢性胃炎	0	0	0	3	3	2	0	8
びらん性胃炎	0	0	0	0	0	1	0	1
胃ポリープ	0	0	2	4	1	0	0	7
胃隆起性病変	0	0	0	0	1	0	0	1
胃潰瘍	0	0	0	0	0	0	0	0
胃潰瘍癒痕	0	0	0	0	0	0	0	0
胃粘膜下腫瘍	0	0	1	0	0	1	0	2
陰影斑(バリウム斑)	0	0	0	0	0	0	0	0
胃陥凹性病変	0	0	0	0	0	0	0	0
ひだ中断(粘膜中断)	0	0	0	0	0	0	0	0
粘膜不整	0	0	0	0	0	0	0	0
十二指腸潰瘍	0	0	0	0	0	0	0	0
十二指腸潰瘍癒痕	0	0	0	0	0	0	0	0
食道隆起性病変	0	0	0	0	0	0	0	0
受診者数(人)	0	1	6	15	8	3	0	33

## &lt;女性&gt;

	～29	30～39	40～49	50～59	60～69	70～79	80～	総計
著変なし	0	0	1	0	0	0	0	1
慢性胃炎	0	0	0	0	2	0	0	2
びらん性胃炎	0	0	0	0	0	0	0	0
胃ポリープ	0	0	0	1	2	1	0	4
胃隆起性病変	0	0	0	0	0	0	0	0
胃潰瘍	0	0	0	0	0	0	0	0
胃潰瘍癒痕	0	0	0	0	0	0	0	0
胃粘膜下腫瘍	0	0	1	0	0	0	0	1
陰影斑(バリウム斑)	0	0	0	0	0	0	0	0
胃陥凹性病変	0	0	0	0	0	0	0	0
ひだ中断(粘膜中断)	0	0	0	0	0	0	0	0
粘膜不整	0	0	0	0	0	0	0	0
十二指腸潰瘍	0	0	0	0	0	0	0	0
十二指腸潰瘍癒痕	0	0	0	0	0	0	0	0
食道隆起性病変	0	0	0	0	0	0	0	0
受診者数(人)	0	0	2	1	3	1	0	7

## ③ 施設内健診

&lt; 上部消化管 X 線検査判定結果 &gt;

&lt; 男性 &gt;

	～29	30～39	40～49	50～59	60～69	70～79	80～	合計 (人)	比率 (%)
A	18	1046	1657	947	599	79	0	4346	58.9
B1	1	145	285	225	164	26	0	846	11.5
B2	1	222	473	470	535	118	0	1819	24.6
C	0	0	0	0	0	0	0	0	0
D	0	30	73	123	120	27	0	373	5.1
E	0	0	0	0	0	0	0	0	0
受診者数 (人)	20	1443	2488	1765	1418	250	0	7384	100.0
有所見者数 (人)	2	397	831	818	819	171	0	3038	41.1
有所見者率 (%)	10.0	27.5	33.4	46.3	57.8	68.4	0	41.1	

&lt; 女性 &gt;

	～29	30～39	40～49	50～59	60～69	70～79	80～	合計 (人)	比率 (%)
A	9	536	1125	666	277	30	0	2643	54.4
B1	3	180	484	403	149	18	0	1237	25.5
B2	0	80	250	272	187	37	0	826	17.0
C	0	0	0	0	0	0	0	0	0
D	0	17	37	40	44	10	0	148	3.0
E	0	0	0	0	0	0	0	0	0
受診者数 (人)	12	813	1896	1381	657	95	0	4854	100.0
有所見者数 (人)	3	277	771	715	380	65	0	2211	45.6
有所見者率 (%)	25.0	34.1	40.7	51.8	57.8	68.4	0	45.6	

## &lt;上部消化管 X 線検査疾患別一覧&gt;

## &lt;男性&gt;

	～29	30～39	40～49	50～59	60～69	70～79	80～	総計
著変なし	18	1046	1657	947	599	79	0	4346
慢性胃炎	1	244	501	539	605	132	0	2022
びらん性胃炎	0	5	5	10	9	1	0	30
胃ポリープ	1	137	277	219	153	21	0	808
胃隆起性病変	0	3	13	22	15	7	0	60
胃潰瘍	0	0	2	0	0	0	0	2
胃潰瘍癒痕	0	0	2	9	8	0	0	19
胃粘膜下腫瘍	0	5	20	19	16	6	0	66
陰影斑(バリウム斑)	0	0	0	0	0	0	0	0
胃陥凹性病変	0	6	11	21	19	5	0	62
ひだ中断(粘膜中断)	0	0	0	0	0	0	0	0
粘膜不整	0	13	26	40	47	10	0	136
十二指腸潰瘍	0	0	0	1	0	0	0	1
十二指腸潰瘍癒痕	0	10	25	23	32	7	0	97
食道隆起性病変	0	1	3	6	9	3	0	22
受診者数(人)	20	1443	2488	1765	1418	250	0	7384

## &lt;女性&gt;

	～29	30～39	40～49	50～59	60～69	70～79	80～	総計
著変なし	9	536	1125	666	277	30	0	2643
慢性胃炎	0	85	252	274	214	47	0	872
びらん性胃炎	0	2	10	4	1	1	0	18
胃ポリープ	3	181	484	414	147	15	0	1244
胃隆起性病変	0	3	11	10	14	0	0	38
胃潰瘍	0	0	0	0	0	0	0	0
胃潰瘍癒痕	0	0	0	1	2	0	0	3
胃粘膜下腫瘍	0	5	14	17	15	0	0	51
陰影斑(バリウム斑)	0	0	0	0	0	0	0	0
胃陥凹性病変	0	3	6	7	7	4	0	27
ひだ中断(粘膜中断)	0	0	0	0	0	0	0	0
粘膜不整	0	4	7	11	13	3	0	38
十二指腸潰瘍	0	1	0	0	0	0	0	1
十二指腸潰瘍癒痕	0	4	10	15	7	0	0	36
食道隆起性病変	0	0	1	2	2	0	0	5
受診者数(人)	12	813	1896	1381	657	95	0	4854

## ④ 施設外健診

&lt;上部消化管 X 線検査判定結果&gt;

&lt;男性&gt;

	～29	30～39	40～49	50～59	60～69	70～79	80～	合計 (人)	比率 (%)
A	6	351	951	587	515	345	0	2755	52.7
B1	1	37	127	126	82	63	0	436	8.3
B2	1	97	367	361	494	521	0	1841	35.2
C	0	0	0	0	0	0	0	0	0
D	0	10	32	27	65	66	0	200	3.8
E	0	0	0	0	0	0	0	0	0
受診者数 (人)	8	495	1477	1101	1156	995	0	5232	100.0
有所見者数 (人)	2	144	526	514	641	650	0	2477	47.3
有所見者率 (%)	25.0	29.1	35.6	46.7	55.4	65.3	0	47.3	

&lt;女性&gt;

	～29	30～39	40～49	50～59	60～69	70～79	80～	合計 (人)	比率 (%)
A	0	152	298	238	264	168	0	1120	47.9
B1	1	39	110	116	137	50	0	453	19.4
B2	0	25	102	102	252	209	0	690	29.5
C	0	0	0	0	0	0	0	0	0
D	0	6	10	8	27	25	0	76	3.2
E	0	0	0	0	0	0	0	0	0
受診者数 (人)	1	222	520	464	680	452	0	2339	100.0
有所見者数 (人)	1	70	222	226	416	284	0	1219	52.1
有所見者率 (%)	100.0	31.5	42.7	48.7	61.2	62.8	0	52.1	

## &lt;上部消化管 X 線検査疾患別一覧&gt;

## &lt;男性&gt;

	～29	30～39	40～49	50～59	60～69	70～79	80～	総計
著変なし	6	351	951	587	515	345	0	2755
慢性胃炎	1	100	382	376	543	571	0	1973
びらん性胃炎	0	1	2	4	1	2	0	10
胃ポリープ	1	39	128	127	95	75	0	465
胃隆起性病変	0	2	8	3	10	11	0	34
胃潰瘍	0	0	0	0	2	0	0	2
胃潰瘍癒痕	0	1	7	5	9	16	0	38
胃粘膜下腫瘍	0	1	8	7	5	14	0	35
陰影斑(バリウム斑)	0	0	0	0	0	0	0	0
胃陥凹性病変	0	5	12	15	39	41	0	0
ひだ中断(粘膜中断)	0	0	0	0	0	0	0	0
粘膜不整	0	1	3	8	9	11	0	32
十二指腸潰瘍	0	0	0	0	0	0	0	0
十二指腸潰瘍癒痕	0	0	6	9	13	11	0	0
食道隆起性病変	0	0	1	0	0	1	0	2
受診者数(人)	8	495	1477	1101	1156	995	0	5232

## &lt;女性&gt;

	～29	30～39	40～49	50～59	60～69	70～79	80～	総計
著変なし	0	152	298	238	264	168	0	1120
慢性胃炎	0	28	104	103	267	226	0	728
びらん性胃炎	0	0	0	0	0	0	0	0
胃ポリープ	1	43	116	123	145	56	0	484
胃隆起性病変	0	0	3	2	7	5	0	17
胃潰瘍	0	0	0	0	0	0	0	0
胃潰瘍癒痕	0	0	0	3	1	1	0	5
胃粘膜下腫瘍	0	1	3	4	7	3	0	18
陰影斑(バリウム斑)	0	0	0	0	0	0	0	0
胃陥凹性病変	0	2	4	4	11	11	0	32
ひだ中断(粘膜中断)	0	0	0	0	0	0	0	0
粘膜不整	0	2	0	2	4	5	0	13
十二指腸潰瘍	0	0	0	0	0	0	0	0
十二指腸潰瘍癒痕	0	0	1	4	4	5	0	14
食道隆起性病変	0	0	0	0	1	0	0	1
受診者数(人)	1	222	520	464	680	452	0	2339



## ⑤ 全国健康保険協会管掌健康保険生活習慣病予防健診 [再掲]

&lt;上部消化管 X 線検査判定結果&gt;

&lt;男性&gt;

	～29	30～39	40～49	50～59	60～69	70～79	80～	合計 (人)	比率 (%)
A	0	873	1506	852	528	49	0	3808	58.4
B1	0	117	249	199	138	19	0	722	11.1
B2	0	204	458	426	480	78	0	1646	25.3
C	0	0	0	0	0	0	0	0	0
D	0	26	74	109	108	22	0	339	5.2
E	0	0	0	0	0	0	0	0	0
受診者数 (人)	0	1220	2287	1586	1254	168	0	6515	100.0
有所見者数 (人)	0	347	781	734	726	119	0	2707	41.6
有所見者率 (%)	0	28.4	34.1	46.3	57.9	70.8	0	41.6	

&lt;女性&gt;

	～29	30～39	40～49	50～59	60～69	70～79	80～	合計 (人)	比率 (%)
A	0	377	782	469	195	11	0	1834	58.4
B1	0	130	347	268	100	9	0	854	11.1
B2	0	59	185	187	134	19	0	584	25.3
C	0	0	0	0	0	0	0	0	0
D	0	15	21	32	35	3	0	106	5.2
E	0	0	0	0	0	0	0	0	0
受診者数 (人)	0	581	1335	956	464	42	0	3378	100.0
有所見者数 (人)	0	204	553	487	269	31	0	1544	45.7
有所見者率 (%)	0	35.1	41.4	50.9	58.0	73.8	0	45.7	

## &lt;上部消化管 X 線検査疾患別一覧&gt;

## &lt;男性&gt;

	～29	30～39	40～49	50～59	60～69	70～79	80～	総計
著変なし	0	873	1506	852	528	49	0	3808
慢性胃炎	0	223	485	485	542	90	0	1825
びらん性胃炎	0	6	4	7	8	1	0	26
胃ポリープ	0	111	244	195	128	14	0	692
胃隆起性病変	0	5	15	21	13	5	0	59
胃潰瘍	0	0	2	0	0	0	0	2
胃潰瘍癒痕	0	0	4	8	8	0	0	20
胃粘膜下腫瘍	0	2	21	16	14	4	0	57
陰影斑(バリウム斑)	0	0	0	0	0	0	0	0
胃陥凹性病変	0	5	14	19	16	5	0	59
ひだ中断(粘膜中断)	0	0	0	0	0	0	0	0
粘膜不整	0	11	22	37	42	9	0	121
十二指腸潰瘍	0	0	0	1	0	0	0	1
十二指腸潰瘍癒痕	0	9	20	19	30	6	0	84
食道隆起性病変	0	0	3	5	9	1	0	18
受診者数(人)	0	1220	2287	1586	1254	168	0	6515

## &lt;女性&gt;

	～29	30～39	40～49	50～59	60～69	70～79	80～	総計
著変なし	0	377	782	469	195	11	0	1834
慢性胃炎	0	65	183	193	158	21	0	620
びらん性胃炎	0	0	7	2	0	0	0	9
胃ポリープ	0	132	343	275	104	8	0	862
胃隆起性病変	0	3	7	8	10	1	0	29
胃潰瘍	0	0	0	0	0	0	0	0
胃潰瘍癒痕	0	0	0	1	1	0	0	2
胃粘膜下腫瘍	0	3	8	12	8	0	0	31
陰影斑(バリウム斑)	0	0	0	0	0	0	0	0
胃陥凹性病変	0	4	1	6	4	1	0	16
ひだ中断(粘膜中断)	0	0	0	0	0	0	0	0
粘膜不整	0	3	6	8	10	1	0	28
十二指腸潰瘍	0	1	0	0	0	0	0	1
十二指腸潰瘍癒痕	0	3	6	14	5	0	0	28
食道隆起性病変	0	0	1	0	2	0	0	3
受診者数(人)	0	581	1335	956	464	42	0	3378