

5. 呼吸器

(1)胸部X線検査

① 1日人間ドック

<胸部X線検査判定結果>

<男性>

	～29	30～39	40～49	50～59	60～69	70～79	80～	合計 (人)	比率 (%)
A	34	1,136	3,166	3,445	2,142	632	74	10,629	75.7
B1	1	63	398	728	736	364	60	2,350	16.7
B2	0	18	111	254	273	185	47	888	6.3
C	0	0	0	0	0	2	0	2	0.0
D	0	7	29	38	46	49	8	177	1.3
E	0	0	0	0	0	0	0	0	0.0
受診者数(人)	35	1,224	3,704	4,465	3,197	1,232	189	14,046	100.0
有所見者数(人)	1	88	538	1,020	1,055	600	115	3,417	24.3
有所見者率(%)	2.9	7.2	14.5	22.8	33.0	48.7	60.8	24.3	

<女性>

	～29	30～39	40～49	50～59	60～69	70～79	80～	合計 (人)	比率 (%)
A	24	991	3,131	3,247	1,635	434	20	9,482	77.9
B1	1	54	332	690	615	283	50	2,025	16.6
B2	0	15	78	142	156	81	24	496	4.1
C	0	0	0	0	0	1	0	1	0.0
D	0	5	27	55	48	26	3	164	1.3
E	0	0	0	0	0	0	0	0	0.0
受診者数(人)	25	1,065	3,568	4,134	2,454	825	97	12,168	100.0
有所見者数(人)	1	74	437	887	819	391	77	2,686	22.1
有所見者率(%)	4.0	6.9	12.2	21.5	33.4	47.4	79.4	22.1	

<胸部X線検査疾患別一覧>

<男性>

	～29	30～39	40～49	50～59	60～69	70～79	80～	総計
著変なし	34	1,136	3,166	3,445	2,142	632	74	10,629
硬化性陰影	0	18	128	250	273	151	34	854
線状影	1	11	62	139	116	64	7	400
索状影	0	2	46	66	61	61	15	251
気腫性変化	0	8	61	146	171	68	9	463
限局性陰影	0	7	23	45	28	25	4	132
網状影	0	0	6	35	74	89	28	232
結節影	0	3	17	39	27	28	3	117
粒状影	0	4	15	12	21	16	6	74
浸潤影	0	0	1	0	2	2	1	6
縦隔・肺門増大	0	2	3	3	4	2	0	14
腫瘤影	0	0	1	1	0	1	0	3
胸水	0	1	1	0	4	3	0	9
気胸	0	0	1	0	2	1	0	4

<女性>

	～29	30～39	40～49	50～59	60～69	70～79	80～	総計
著変なし	24	991	3,131	3,247	1,635	434	20	9,482
硬化性陰影	0	14	134	376	341	113	22	1,000
線状影	0	8	52	82	87	28	7	264
索状影	0	1	27	54	45	38	7	172
気腫性変化	0	0	7	8	30	14	4	63
限局性陰影	0	3	23	44	35	17	2	124
網状影	0	2	3	9	9	14	8	45
結節影	0	6	21	32	21	17	5	102
粒状影	0	3	13	16	26	15	5	78
浸潤影	0	1	2	1	4	1	0	9
縦隔・肺門増大	0	0	1	1	1	2	0	5
腫瘤影	0	1	3	0	1	0	0	5
胸水	0	0	0	0	0	0	0	0
気胸	0	0	1	0	0	0	0	1

② 2日人間ドック

<胸部X線検査判定結果>

<男性>

	～29	30～39	40～49	50～59	60～69	70～79	80～	合計 (人)	比率 (%)
A	6	149	508	583	437	283	41	2,007	72.9
B1	0	6	67	135	152	170	36	566	20.6
B2	1	2	9	31	44	55	15	157	5.7
C	0	0	0	0	0	1	1	2	0.1
D	0	0	2	4	8	5	3	22	0.8
E	0	0	0	0	0	0	0	0	0.0
受診者数 (人)	7	157	586	753	641	514	96	2,754	100.0
有所見者数 (人)	1	8	78	170	204	231	55	747	27.1
有所見者率 (%)	14.3	5.1	13.3	22.6	31.8	44.9	57.3	27.1	

<女性>

	～29	30～39	40～49	50～59	60～69	70～79	80～	合計 (人)	比率 (%)
A	1	36	155	195	166	140	14	707	72.9
B1	1	2	11	41	67	67	19	208	21.4
B2	0	1	2	8	11	22	5	49	5.1
C	0	0	0	0	0	0	0	0	0.0
D	0	0	0	0	3	3	0	6	0.6
E	0	0	0	0	0	0	0	0	0.0
受診者数 (人)	2	39	168	244	247	232	38	970	100.0
有所見者数 (人)	1	3	13	49	81	92	24	263	27.1
有所見者率 (%)	50.0	7.7	7.7	20.1	32.8	39.7	63.2	27.1	

③ 施設内健診

<胸部X線検査判定結果>

<男性>

	～29	30～39	40～49	50～59	60～69	70～79	80～	合計 (人)	比率 (%)
A	2,245	3,170	3,361	2,354	1,830	358	13	13,331	86.2
B1	23	162	289	374	411	150	4	1,413	9.1
B2	7	48	82	125	230	84	5	581	3.8
C	0	1	1	0	0	0	0	2	0.0
D	3	15	27	28	42	27	1	143	0.9
E	0	0	0	0	0	0	0	0	0.0
受診者数(人)	2,278	3,396	3,760	2,881	2,513	619	23	15,470	100.0
有所見者数(人)	33	226	399	527	683	261	10	2,139	13.8
有所見者率(%)	1.4	6.7	10.6	18.3	27.2	42.2	43.5	13.8	

<女性>

	～29	30～39	40～49	50～59	60～69	70～79	80～	合計 (人)	比率 (%)
A	2,607	2,786	4,411	3,174	1,583	289	12	14,862	89.6
B1	36	81	238	384	339	129	5	1,212	7.3
B2	6	15	63	129	120	45	4	382	2.3
C	0	0	0	2	1	0	0	3	0.0
D	4	12	27	34	37	10	1	125	0.8
E	0	0	0	0	0	0	0	0	0.0
受診者数(人)	2,653	2,894	4,739	3,723	2,080	473	22	16,584	100.0
有所見者数(人)	46	108	328	549	497	184	10	1,722	10.4
有所見者率(%)	1.7	3.7	6.9	14.7	23.9	38.9	45.5	10.4	

<胸部X線検査疾患別一覧>

<男性>

	～29	30～39	40～49	50～59	60～69	70～79	80～	総計
著変なし	2,245	3,170	3,361	2,354	1,830	358	13	13,331
硬化性陰影	5	48	123	119	194	83	5	577
線状影	2	21	36	45	46	17	1	168
索状影	2	19	38	45	56	22	0	182
気腫性変化	1	17	84	105	121	37	4	369
限局性陰影	0	7	14	9	20	9	2	61
網状影	2	4	11	22	68	39	3	149
結節影	1	5	9	11	19	6	0	51
粒状影	0	1	5	6	10	3	0	25
浸潤影	0	1	0	1	1	2	0	5
縦隔・肺門増大	0	0	2	0	4	9	2	17
腫瘤影	0	0	1	0	1	0	0	2
胸水	0	0	0	1	4	0	0	5
気胸	0	2	1	1	1	0	0	5

<女性>

	～29	30～39	40～49	50～59	60～69	70～79	80～	総計
著変なし	2,607	2,786	4,411	3,174	1,583	289	12	14,862
硬化性陰影	3	41	109	242	204	75	3	677
線状影	1	3	19	35	38	15	1	112
索状影	3	11	21	47	54	18	1	155
気腫性変化	2	0	7	10	14	3	0	36
限局性陰影	1	4	10	25	25	6	1	72
網状影	0	3	6	6	14	6	1	36
結節影	2	3	11	13	13	4	0	46
粒状影	0	2	9	23	20	4	0	58
浸潤影	1	1	0	4	3	0	0	9
縦隔・肺門増大	0	0	6	2	0	0	0	8
腫瘤影	0	0	1	2	0	1	0	4
胸水	0	0	0	2	0	0	0	2
気胸	0	0	2	0	0	0	0	2

④ 施設外健診

<胸部 X 線検査判定結果>

<男性>

	～29	30～39	40～49	50～59	60～69	70～79	80～	合計 (人)	比率 (%)
A	3,299	3,889	3,757	3,197	2,725	1,808	536	19,211	86.5
B1	33	102	264	385	559	530	310	2,183	9.8
B2	10	17	48	75	175	211	150	686	3.1
C	0	0	0	2	2	0	0	4	0.0
D	2	2	10	15	42	58	4	133	0.6
E	0	0	0	0	0	0	0	0	0.0
受診者数 (人)	3,344	4,010	4,079	3,674	3,503	2,607	1,000	22,217	100.0
有所見者数 (人)	45	121	322	477	778	799	464	3,006	13.5
有所見者率 (%)	1.3	3.0	7.9	13.0	22.2	30.6	46.4	13.5	

<女性>

	～29	30～39	40～49	50～59	60～69	70～79	80～	合計 (人)	比率 (%)
A	1,800	1,395	2,276	2,074	2,540	2,057	706	12,848	85.0
B1	27	33	97	192	444	580	351	1,724	11.4
B2	1	7	22	45	97	133	112	417	2.8
C	0	0	0	2	0	0	0	2	0.0
D	3	6	5	17	37	35	28	131	0.9
E	0	0	0	0	0	0	0	0	0.0
受診者数 (人)	1,831	1,441	2,400	2,330	3,118	2,805	1,197	15,122	100.0
有所見者数 (人)	31	46	124	256	578	748	491	2,274	15.0
有所見者率 (%)	1.7	3.2	5.2	11.0	18.5	26.7	41.0	15.0	

⑤ 全国健康保険協会生活習慣病予防健診 [再掲]

<胸部 X 線検査判定結果>

<男性>

	～29	30～39	40～49	50～59	60～69	70～79	80～	合計 (人)	比率 (%)
A	0	1,544	3,058	2,156	1,630	216	0	8,604	83.4
B1	0	90	253	356	367	87	0	1,153	11.2
B2	0	27	78	107	197	47	0	456	4.4
C	0	1	0	0	0	0	0	1	0.0
D	0	6	24	19	38	17	0	104	1.0
E	0	0	0	0	0	0	0	0	0.0
受診者数 (人)	0	1,668	3,413	2,638	2,232	367	0	10,318	100.0
有所見者数 (人)	0	124	355	482	602	151	0	1,714	16.6
有所見者率 (%)	0.0	7.4	10.4	18.3	27.0	41.1	0.0	16.6	

<女性>

	～29	30～39	40～49	50～59	60～69	70～79	80～	合計 (人)	比率 (%)
A	0	881	2,517	1,910	986	106	0	6,400	87.5
B1	0	26	135	216	219	55	0	651	8.9
B2	0	6	41	69	62	13	0	191	2.6
C	0	0	0	0	1	0	0	1	0.0
D	0	7	14	22	24	3	0	70	1.0
E	0	0	0	0	0	0	0	0	0.0
受診者数 (人)	0	920	2,707	2,217	1,292	177	0	7,313	100.0
有所見者数 (人)	0	39	190	307	306	71	0	913	12.5
有所見者率 (%)	0.0	4.2	7.0	13.8	23.7	40.1	0.0	12.5	

<胸部 X 線検査疾患別一覧>

<男性>

	～29	30～39	40～49	50～59	60～69	70～79	80～	総計
著変なし	0	1,544	3,058	2,156	1,630	216	0	8,604
硬化性陰影	0	29	114	106	172	46	0	467
線状影	0	12	33	45	41	9	0	140
索状影	0	10	33	43	45	18	0	149
気腫性変化	0	12	77	98	105	25	0	317
限局性陰影	0	2	14	5	16	5	0	42
網状影	0	3	8	15	64	25	0	115
結節影	0	1	7	10	20	1	0	39
粒状影	0	2	5	6	4	2	0	19
浸潤影	0	1	0	1	1	2	0	5
縦隔・肺門増大	0	1	0	3	10	1	0	15
腫瘤影	0	0	1	0	1	0	0	2
胸水	0	0	0	1	4	0	0	5
気胸	0	1	1	1	1	0	0	4

<女性>

	～29	30～39	40～49	50～59	60～69	70～79	80～	総計
著変なし	0	881	2,517	1,910	986	106	0	6,400
硬化性陰影	0	16	61	126	121	28	0	352
線状影	0	1	16	19	21	4	0	61
索状影	0	4	20	36	33	8	0	101
気腫性変化	0	3	5	8	1	0	0	17
限局性陰影	0	3	4	13	13	1	0	34
網状影	0	1	2	3	10	3	0	19
結節影	0	2	8	8	10	1	0	29
粒状影	0	0	6	13	15	4	0	38
浸潤影	0	1	0	3	3	0	0	7
縦隔・肺門増大	0	0	5	0	0	0	0	5
腫瘤影	0	0	1	0	0	0	0	1
胸水	0	0	0	1	0	0	0	1
気胸	0	0	1	0	0	0	0	1