

7. 消化器

(1) 上部消化管 X 線検査

① 1 日人間ドック

< 上部消化管 X 線検査判定結果 >

< 男性 >

	～29	30～39	40～49	50～59	60～69	70～79	80～	合計 (人)	比率 (%)
A	12	456	1,064	1,225	503	83	1	3,344	67.2
B1	0	47	146	237	113	14	0	557	11.2
B2	2	60	226	347	292	64	0	991	19.9
C	0	0	0	0	0	0	0	0	0.0
D	0	7	14	27	22	12	0	82	1.6
E	0	0	0	0	0	0	0	0	0.0
受診者数 (人)	14	570	1,450	1,836	930	173	1	4,974	100.0
有所見者数 (人)	2	114	386	611	427	90	0	1,630	32.8
有所見者率 (%)	14.3	20.0	26.6	33.3	45.9	52.0	0.0	32.8	

< 女性 >

	～29	30～39	40～49	50～59	60～69	70～79	80～	合計 (人)	比率 (%)
A	6	272	667	678	221	36	0	1,880	58.1
B1	0	64	293	365	116	15	0	853	26.4
B2	1	23	108	203	122	22	0	479	14.8
C	0	0	0	0	0	0	0	0	0.0
D	0	2	8	5	4	5	0	24	0.7
E	0	0	0	0	0	0	0	0	0.0
受診者数 (人)	7	361	1,076	1,251	463	78	0	3,236	100.0
有所見者数 (人)	1	89	409	573	242	42	0	1,356	41.9
有所見者率 (%)	14.3	24.7	38.0	45.8	52.3	53.9	0.0	41.9	

<上部消化管 X 線検査疾患別一覧>

<男性>

	～29	30～39	40～49	50～59	60～69	70～79	80～	総計
著変なし	12	456	1,064	1,225	503	83	1	3,344
慢性胃炎	1	58	212	333	289	70	0	963
びらん性胃炎	0	0	4	10	8	1	0	23
胃ポリープ	0	47	157	247	106	19	0	576
胃隆起性病変	1	4	9	15	10	3	0	42
胃潰瘍	0	0	0	0	0	0	0	0
胃潰瘍癒痕	0	1	2	4	3	2	0	12
胃粘膜下腫瘍	0	1	4	7	2	1	0	15
ひだの異常	0	1	5	3	2	2	0	13
胃陥凹性病変	0	2	3	5	2	1	0	13
粘膜不整（胃）	0	1	3	9	10	8	0	31
十二指腸潰瘍	0	0	0	0	0	0	0	0
十二指腸潰瘍癒痕	0	1	3	5	8	2	0	19
食道隆起性病変	0	1	3	12	7	0	0	23
食道陥凹性病変	0	0	1	1	0	0	0	2

<女性>

	～29	30～39	40～49	50～59	60～69	70～79	80～	総計
著変なし	6	272	667	678	221	36	0	1,880
慢性胃炎	1	22	100	183	102	23	0	431
びらん性胃炎	0	1	4	5	5	2	0	17
胃ポリープ	0	66	292	376	125	12	0	871
胃隆起性病変	0	1	5	7	4	2	0	19
胃潰瘍	0	0	0	0	0	0	0	0
胃潰瘍癒痕	0	0	0	1	0	0	0	1
胃粘膜下腫瘍	0	0	2	9	10	1	0	22
ひだの異常	0	0	4	0	1	1	0	6
胃陥凹性病変	0	2	1	1	0	0	0	4
粘膜不整（胃）	0	0	3	1	2	0	0	6
十二指腸潰瘍	0	0	0	0	0	0	0	0
十二指腸潰瘍癒痕	0	1	4	2	1	0	0	8
食道隆起性病変	0	0	0	2	1	2	0	5
食道陥凹性病変	0	0	1	0	0	0	0	1

② 2日人間ドック

<上部消化管 X線検査判定結果>

<男性>

	～29	30～39	40～49	50～59	60～69	70～79	80～	合計 (人)	比率 (%)
A	0	1	7	11	2	1	0	22	66.7
B1	0	0	0	3	0	1	0	4	12.1
B2	0	0	2	1	3	1	0	7	21.2
C	0	0	0	0	0	0	0	0	0.0
D	0	0	0	0	0	0	0	0	0.0
E	0	0	0	0	0	0	0	0	0.0
受診者数 (人)	0	1	9	15	5	3	0	33	100.0
有所見者数 (人)	0	0	2	4	3	2	0	11	33.3
有所見者率 (%)	0.0	0.0	22.2	26.7	60.0	66.7	0.0	33.3	

<女性>

	～29	30～39	40～49	50～59	60～69	70～79	80～	合計 (人)	比率 (%)
A	0	0	1	3	0	0	0	4	36.4
B1	0	0	1	1	1	1	0	4	36.4
B2	0	0	1	0	1	1	0	3	27.3
C	0	0	0	0	0	0	0	0	0.0
D	0	0	0	0	0	0	0	0	0.0
E	0	0	0	0	0	0	0	0	0.0
受診者数 (人)	0	0	3	4	2	2	0	11	100.0
有所見者数 (人)	0	0	2	1	2	2	0	7	63.6
有所見者率 (%)	0.0	0.0	66.7	25.0	100.0	100.0	0.0	63.6	

③ 施設内健診

<上部消化管 X 線検査判定結果>

<男性>

	～29	30～39	40～49	50～59	60～69	70～79	80～	合計 (人)	比率 (%)
A	24	1,036	1,725	1,045	671	100	0	4,601	59.3
B1	0	141	313	243	140	16	0	853	11.0
B2	4	231	485	536	598	141	0	1,995	25.7
C	0	0	0	0	0	0	0	0	0.0
D	1	23	54	80	130	28	0	316	4.1
E	0	0	0	0	0	0	0	0	0.0
受診者数 (人)	29	1,431	2,577	1,904	1,539	285	0	7,765	100.0
有所見者数 (人)	5	395	852	859	868	185	0	3,164	40.7
有所見者率 (%)	17.2	27.6	33.1	45.1	56.4	64.9	0.0	40.7	

<女性>

	～29	30～39	40～49	50～59	60～69	70～79	80～	合計 (人)	比率 (%)
A	10	559	1,181	771	342	43	0	2,906	54.5
B1	3	185	535	432	191	15	0	1,361	25.5
B2	1	72	286	291	223	44	0	917	17.2
C	0	0	0	0	0	0	0	0	0.0
D	0	8	33	44	47	16	0	148	2.8
E	0	0	0	0	0	0	0	0	0.0
受診者数 (人)	14	824	2,035	1,538	803	118	0	5,332	100.0
有所見者数 (人)	4	265	854	767	461	75	0	2,426	45.5
有所見者率 (%)	28.6	32.2	42.0	49.9	57.4	63.6	0.0	45.5	

<上部消化管 X 線検査疾患別一覧>

<男性>

	～29	30～39	40～49	50～59	60～69	70～79	80～	総計
著変なし	24	1,036	1,725	1,045	671	100	0	4,601
慢性胃炎	4	243	488	554	665	151	0	2,105
びらん性胃炎	0	1	8	12	10	2	0	33
胃ポリープ	0	140	318	261	153	20	0	892
胃隆起性病変	1	4	11	20	33	12	0	81
胃潰瘍	0	0	2	0	1	0	0	3
胃潰瘍癒痕	0	2	6	11	15	2	0	36
胃粘膜下腫瘍	0	2	18	22	15	3	0	60
ひだの異常	0	7	9	10	7	1	0	34
胃陥凹性病変	0	7	14	16	38	6	0	81
粘膜不整（胃）	0	4	14	17	36	8	0	79
十二指腸潰瘍	0	0	1	1	0	0	0	2
十二指腸潰瘍癒痕	0	6	17	24	23	4	0	74
食道隆起性病変	0	0	5	12	13	1	0	31
食道陥凹性病変	0	1	0	0	3	1	0	5

<女性>

	～29	30～39	40～49	50～59	60～69	70～79	80～	総計
著変なし	10	559	1,181	771	342	43	0	2,906
慢性胃炎	1	70	281	299	240	59	0	950
びらん性胃炎	0	2	4	6	4	1	0	17
胃ポリープ	3	185	555	452	201	15	0	1,411
胃隆起性病変	0	4	10	15	12	3	0	44
胃潰瘍	0	0	0	0	0	0	0	0
胃潰瘍癒痕	0	0	1	2	1	0	0	4
胃粘膜下腫瘍	0	6	20	15	17	3	0	61
ひだの異常	0	1	6	2	3	1	0	13
胃陥凹性病変	0	2	6	9	13	2	0	32
粘膜不整（胃）	0	0	5	13	12	7	0	37
十二指腸潰瘍	0	0	0	0	1	0	0	1
十二指腸潰瘍癒痕	0	1	10	9	10	0	0	30
食道隆起性病変	0	0	1	4	2	1	0	8
食道陥凹性病変	0	0	0	1	0	0	0	1

④ 施設外健診

<上部消化管 X 線検査判定結果>

<男性>

	～29	30～39	40～49	50～59	60～69	70～79	80～	合計 (人)	比率 (%)
A	6	418	1,075	677	682	458	4	3,320	58.7
B1	0	44	123	116	92	64	1	440	7.8
B2	1	73	324	292	500	510	4	1,704	30.1
C	0	0	0	0	0	0	0	0	0.0
D	0	2	32	29	58	75	0	196	3.5
E	0	0	0	0	0	0	0	0	0.0
受診者数 (人)	7	537	1,554	1,114	1,332	1,107	9	5,660	100.0
有所見者数 (人)	1	119	479	437	650	649	5	2,340	41.3
有所見者率 (%)	14.3	22.2	30.8	39.2	48.8	58.6	55.6	41.3	

<女性>

	～29	30～39	40～49	50～59	60～69	70～79	80～	合計 (人)	比率 (%)
A	2	170	372	286	363	259	0	1,452	54.6
B1	0	53	136	94	126	69	0	478	18.0
B2	0	29	98	85	243	219	1	675	25.4
C	0	0	0	0	0	0	0	0	0.0
D	0	3	4	6	23	19	0	55	2.1
E	0	0	0	0	0	0	0	0	0.0
受診者数 (人)	2	255	610	471	755	566	1	2,660	100.0
有所見者数 (人)	0	85	238	185	392	307	1	1,208	45.4
有所見者率 (%)	0.0	33.3	39.0	39.3	51.9	54.2	100.0	45.4	

⑤ 全国健康保険協会生活習慣病予防健診 [再掲]

<上部消化管 X 線検査判定結果>

<男性>

	～29	30～39	40～49	50～59	60～69	70～79	80～	合計 (人)	比率 (%)
A	0	861	1,558	916	602	61	0	3,998	59.3
B1	0	111	274	208	120	11	0	724	10.7
B2	0	200	453	484	514	92	0	1,743	25.9
C	0	0	0	0	0	0	0	0	0.0
D	0	22	50	80	110	15	0	277	4.1
E	0	0	0	0	0	0	0	0	0.0
受診者数 (人)	0	1,194	2,335	1,688	1,346	179	0	6,742	100.0
有所見者数 (人)	0	333	777	772	744	118	0	2,744	40.7
有所見者率 (%)	0.0	27.9	33.3	45.7	55.3	65.9	0.0	40.7	

<女性>

	～29	30～39	40～49	50～59	60～69	70～79	80～	合計 (人)	比率 (%)
A	0	369	817	523	231	20	0	1,960	54.9
B1	0	128	357	296	118	6	0	905	25.4
B2	0	47	209	201	141	19	0	617	17.3
C	0	0	0	0	0	0	0	0	0.0
D	0	5	14	30	30	6	0	85	2.4
E	0	0	0	0	0	0	0	0	0.0
受診者数 (人)	0	549	1,397	1,050	520	51	0	3,567	100.0
有所見者数 (人)	0	180	580	527	289	31	0	1,607	45.1
有所見者率 (%)	0.0	32.8	41.5	50.2	55.6	60.8	0.0	45.1	

<上部消化管 X 線検査疾患別一覧>

<男性>

	～29	30～39	40～49	50～59	60～69	70～79	80～	総計
著変なし	0	861	1,558	916	602	61	0	3,998
慢性胃炎	0	214	459	507	576	97	0	1,853
びらん性胃炎	0	1	8	10	8	2	0	29
胃ポリープ	0	110	274	227	128	14	0	753
胃隆起性病変	0	4	12	18	26	5	0	65
胃潰瘍	0	0	2	0	1	0	0	3
胃潰瘍癒痕	0	0	8	11	12	1	0	32
胃粘膜下腫瘍	0	1	14	20	12	2	0	49
ひだの異常	0	7	9	10	7	1	0	34
胃陥凹性病変	0	7	13	19	32	4	0	75
粘膜不整（胃）	0	4	15	14	33	5	0	71
十二指腸潰瘍	0	0	1	1	0	0	0	2
十二指腸潰瘍癒痕	0	6	17	21	21	2	0	67
食道隆起性病変	0	0	5	11	11	0	0	27
食道陥凹性病変	0	1	0	0	2	1	0	4

<女性>

	～29	30～39	40～49	50～59	60～69	70～79	80～	総計
著変なし	0	369	817	523	231	20	0	1,960
慢性胃炎	0	46	205	208	157	25	0	641
びらん性胃炎	0	0	2	5	2	1	0	10
胃ポリープ	0	128	367	306	124	7	0	932
胃隆起性病変	0	2	4	7	5	1	0	19
胃潰瘍	0	0	0	0	0	0	0	0
胃潰瘍癒痕	0	0	0	2	1	0	0	3
胃粘膜下腫瘍	0	4	14	11	9	1	0	39
ひだの異常	0	1	3	2	1	1	0	8
胃陥凹性病変	0	2	1	7	9	0	0	19
粘膜不整（胃）	0	0	2	10	10	4	0	26
十二指腸潰瘍	0	0	0	0	1	0	0	1
十二指腸潰瘍癒痕	0	0	4	7	4	0	0	15
食道隆起性病変	0	0	0	1	1	0	0	2
食道陥凹性病変	0	0	0	1	0	0	0	1