

**(6)ペプシノゲン検査**

萎縮性胃炎の強い人に胃がんが発生しやすいことが知られている。

この萎縮性胃炎の程度を調べる検査である。

有所見者はD以上とする。

## &lt;ペプシノゲン検査判定結果&gt;

## ① 1日人間ドック

## &lt;男性&gt;

	～29	30～39	40～49	50～59	60～69	70～79	80～	合計(人)	比率(%)
A	6	181	555	603	623	301	26	2,295	97.5
B1	0	0	0	0	0	0	0	0	0.0
B2	0	0	0	0	0	0	0	0	0.0
C	0	0	0	0	0	0	0	0	0.0
D	1	2	6	8	22	15	6	60	2.5
E	0	0	0	0	0	0	0	0	0.0
F	0	0	0	0	0	0	0	0	0.0
受診者数	7	183	561	611	645	316	32	2,355	100.0
有所見者数	1	2	6	8	22	15	6	60	2.5
有所見者率(%)	14.3	1.1	1.1	1.3	3.4	4.7	18.8	2.5	

## &lt;女性&gt;

	～29	30～39	40～49	50～59	60～69	70～79	80～	合計(人)	比率(%)
A	3	78	261	305	247	112	10	1,016	96.5
B1	0	0	0	0	0	0	0	0	0.0
B2	0	0	0	0	0	0	0	0	0.0
C	0	0	0	0	0	0	0	0	0.0
D	0	3	7	11	8	7	1	37	3.5
E	0	0	0	0	0	0	0	0	0.0
F	0	0	0	0	0	0	0	0	0.0
受診者数	3	81	268	316	255	119	11	1,053	100.0
有所見者数	0	3	7	11	8	7	1	37	3.5
有所見者率(%)	0.0	3.7	2.6	3.5	3.1	5.9	9.1	3.5	

## ② 2日人間ドック

## &lt;男性&gt;

	～29	30～39	40～49	50～59	60～69	70～79	80～	合計 (人)	比率 (%)
A	7	154	581	742	606	379	47	2,516	98.3
B1	0	0	0	0	0	0	0	0	0.0
B2	0	0	0	0	0	0	0	0	0.0
C	0	0	0	0	0	0	0	0	0.0
D	0	3	5	11	9	11	4	43	1.7
E	0	0	0	0	0	0	0	0	0.0
F	0	0	0	0	0	0	0	0	0.0
受診者数	7	157	586	753	615	390	51	2,559	100.0
有所見者数	0	3	5	11	9	11	4	43	1.7
有所見者率 (%)	0.0	1.9	0.9	1.5	1.5	2.8	7.8	1.7	

## &lt;女性&gt;

	～29	30～39	40～49	50～59	60～69	70～79	80～	合計 (人)	比率 (%)
A	2	39	166	240	214	151	16	828	97.2
B1	0	0	0	0	0	0	0	0	0.0
B2	0	0	0	0	0	0	0	0	0.0
C	0	0	0	0	0	0	0	0	0.0
D	0	0	2	4	13	4	1	24	2.8
E	0	0	0	0	0	0	0	0	0.0
F	0	0	0	0	0	0	0	0	0.0
受診者数	2	39	168	244	227	155	17	852	100.0
有所見者数	0	0	2	4	13	4	1	24	2.8
有所見者率 (%)	0.0	0.0	1.2	1.6	5.7	2.6	5.9	2.8	

## ③ 施設内健診

## &lt;男性&gt;

	～29	30～39	40～49	50～59	60～69	70～79	80～	合計 (人)	比率 (%)
A	6	57	82	53	40	6	0	244	97.2
B1	0	0	0	0	0	0	0	0	0.0
B2	0	0	0	0	0	0	0	0	0.0
C	0	0	0	0	0	0	0	0	0.0
D	0	0	3	4	0	0	0	7	2.8
E	0	0	0	0	0	0	0	0	0.0
F	0	0	0	0	0	0	0	0	0.0
受診者数	6	57	85	57	40	6	0	251	100.0
有所見者数	0	0	3	4	0	0	0	7	2.8
有所見者率 (%)	0.0	0.0	3.5	7.0	0.0	0.0	0.0	2.8	

## &lt;女性&gt;

	～29	30～39	40～49	50～59	60～69	70～79	80～	合計 (人)	比率 (%)
A	6	60	97	71	34	7	0	275	95.2
B1	0	0	0	0	0	0	0	0	0.0
B2	0	0	0	0	0	0	0	0	0.0
C	0	0	0	0	0	0	0	0	0.0
D	0	3	4	1	6	0	0	14	4.8
E	0	0	0	0	0	0	0	0	0.0
F	0	0	0	0	0	0	0	0	0.0
受診者数	6	63	101	72	40	7	0	289	100.0
有所見者数	0	3	4	1	6	0	0	14	4.8
有所見者率 (%)	0.0	4.8	4.0	1.4	15.0	0.0	0.0	4.8	

## ④ 施設外健診

## &lt;男性&gt;

	～29	30～39	40～49	50～59	60～69	70～79	80～	合計（人）	比率（％）
A	10	24	55	54	21	4	0	168	98.2
B1	0	0	0	0	0	0	0	0	0.0
B2	0	0	0	0	0	0	0	0	0.0
C	0	0	0	0	0	0	0	0	0.0
D	0	0	2	0	1	0	0	3	1.8
E	0	0	0	0	0	0	0	0	0.0
F	0	0	0	0	0	0	0	0	0.0
受診者数	10	24	57	54	22	4	0	171	100.0
有所見者数	0	0	2	0	1	0	0	3	1.8
有所見者率（％）	0.0	0.0	3.5	0.0	4.5	0.0	0.0	1.8	

## &lt;女性&gt;

	～29	30～39	40～49	50～59	60～69	70～79	80～	合計（人）	比率（％）
A	1	6	13	15	11	0	0	46	93.9
B1	0	0	0	0	0	0	0	0	0.0
B2	0	0	0	0	0	0	0	0	0.0
C	0	0	0	0	0	0	0	0	0.0
D	0	0	0	0	3	0	0	3	6.1
E	0	0	0	0	0	0	0	0	0.0
F	0	0	0	0	0	0	0	0	0.0
受診者数	1	6	13	15	14	0	0	49	100.0
有所見者数	0	0	0	0	3	0	0	3	6.1
有所見者率（％）	0.0	0.0	0.0	0.0	21.4	0.0	0.0	6.1	

## ⑤ 全国健康保険協会生活習慣病予防健診 [再掲]

## &lt;男性&gt;

	～29	30～39	40～49	50～59	60～69	70～79	80～	合計(人)	比率(%)
A	0	20	43	23	21	6	0	113	97.4
B1	0	0	0	0	0	0	0	0	0.0
B2	0	0	0	0	0	0	0	0	0.0
C	0	0	0	0	0	0	0	0	0.0
D	0	0	1	2	0	0	0	3	2.6
E	0	0	0	0	0	0	0	0	0.0
F	0	0	0	0	0	0	0	0	0.0
受診者数	0	20	44	25	21	6	0	116	100.0
有所見者数	0	0	1	2	0	0	0	3	2.6
有所見者率(%)	0.0	0.0	2.3	8.0	0.0	0.0	0.0	2.6	

## &lt;女性&gt;

	～29	30～39	40～49	50～59	60～69	70～79	80～	合計(人)	比率(%)
A	0	18	60	35	21	2	0	136	94.4
B1	0	0	0	0	0	0	0	0	0.0
B2	0	0	0	0	0	0	0	0	0.0
C	0	0	0	0	0	0	0	0	0.0
D	0	1	1	1	5	0	0	8	5.6
E	0	0	0	0	0	0	0	0	0.0
F	0	0	0	0	0	0	0	0	0.0
受診者数	0	19	61	36	26	2	0	144	100.0
有所見者数	0	1	1	1	5	0	0	8	5.6
有所見者率(%)	0.0	5.3	1.6	2.8	19.2	0.0	0.0	5.6	