

## 16. 超音波

### (1) 腹部超音波検査

腹部超音波検査は肝臓・胆のう・胆管・すい臓・腎臓・脾臓・腹部大動脈を調べている。

有所見者数はB1以上の軽度脂肪肝と脂肪肝を除いたものとする。

<検査結果判定>

① 1日人間ドック

<男性>

|          | ～29  | 30～39 | 40～49 | 50～59 | 60～69 | 70～79 | 80～  | 合計<br>(人) | 比率<br>(%) |
|----------|------|-------|-------|-------|-------|-------|------|-----------|-----------|
| A        | 17   | 450   | 974   | 798   | 498   | 172   | 34   | 2,943     | 20.8      |
| B1       | 5    | 149   | 520   | 736   | 620   | 284   | 54   | 2,368     | 16.7      |
| B2       | 13   | 556   | 1,993 | 2,805 | 2,048 | 811   | 94   | 8,320     | 58.8      |
| C        | 0    | 1     | 26    | 72    | 85    | 60    | 14   | 258       | 1.8       |
| D        | 0    | 8     | 44    | 84    | 79    | 45    | 11   | 271       | 1.9       |
| 受診者数(人)  | 35   | 1,164 | 3,557 | 4,495 | 3,330 | 1,372 | 207  | 14,160    | 100.0     |
| 有所見者数(人) | 7    | 339   | 1,470 | 2,434 | 2,157 | 1,017 | 162  | 7,586     | 53.6      |
| 有所見者率(%) | 20.0 | 29.1  | 41.3  | 54.1  | 64.8  | 74.1  | 78.3 | 53.6      |           |

<女性>

|          | ～29  | 30～39 | 40～49 | 50～59 | 60～69 | 70～79 | 80～  | 合計<br>(人) | 比率<br>(%) |
|----------|------|-------|-------|-------|-------|-------|------|-----------|-----------|
| A        | 50   | 727   | 1,899 | 1,588 | 750   | 246   | 30   | 5,290     | 42.8      |
| B1       | 2    | 77    | 401   | 687   | 499   | 228   | 20   | 1,914     | 15.5      |
| B2       | 7    | 247   | 1,078 | 1,786 | 1,232 | 431   | 46   | 4,827     | 39.1      |
| C        | 0    | 3     | 19    | 55    | 51    | 22    | 6    | 156       | 1.3       |
| D        | 1    | 8     | 26    | 67    | 45    | 19    | 7    | 173       | 1.4       |
| 受診者数(人)  | 60   | 1,062 | 3,423 | 4,183 | 2,577 | 946   | 109  | 12,360    | 100.0     |
| 有所見者数(人) | 7    | 229   | 1,083 | 1,907 | 1,384 | 582   | 71   | 5,263     | 42.6      |
| 有所見者率(%) | 11.7 | 21.6  | 31.6  | 45.6  | 53.7  | 61.5  | 65.1 | 42.6      |           |

## ② 2日人間ドック

## &lt;男性&gt;

|          | ～29 | 30～39 | 40～49 | 50～59 | 60～69 | 70～79 | 80～  | 合計<br>(人) | 比率<br>(%) |
|----------|-----|-------|-------|-------|-------|-------|------|-----------|-----------|
| A        | 6   | 43    | 146   | 129   | 101   | 79    | 22   | 526       | 19.5      |
| B1       | 0   | 23    | 78    | 114   | 118   | 112   | 28   | 473       | 17.5      |
| B2       | 0   | 67    | 286   | 472   | 454   | 293   | 57   | 1,629     | 60.3      |
| C        | 0   | 0     | 2     | 4     | 6     | 16    | 4    | 32        | 1.2       |
| D        | 0   | 1     | 3     | 7     | 14    | 10    | 6    | 41        | 1.5       |
| 受診者数(人)  | 6   | 134   | 515   | 726   | 693   | 510   | 117  | 2,701     | 100.0     |
| 有所見者数(人) | 0   | 44    | 190   | 385   | 432   | 354   | 91   | 1,496     | 55.4      |
| 有所見者率(%) | 0.0 | 32.8  | 36.9  | 53.0  | 62.3  | 69.4  | 77.8 | 55.4      |           |

## &lt;女性&gt;

|          | ～29 | 30～39 | 40～49 | 50～59 | 60～69 | 70～79 | 80～  | 合計<br>(人) | 比率<br>(%) |
|----------|-----|-------|-------|-------|-------|-------|------|-----------|-----------|
| A        | 1   | 31    | 77    | 97    | 81    | 50    | 13   | 350       | 34.7      |
| B1       | 0   | 1     | 22    | 40    | 47    | 52    | 14   | 176       | 17.5      |
| B2       | 1   | 9     | 46    | 117   | 123   | 115   | 23   | 434       | 43.1      |
| C        | 0   | 0     | 3     | 5     | 5     | 4     | 1    | 18        | 1.8       |
| D        | 0   | 2     | 0     | 3     | 11    | 12    | 2    | 30        | 3.0       |
| 受診者数(人)  | 2   | 43    | 148   | 262   | 267   | 233   | 53   | 1,008     | 100.0     |
| 有所見者数(人) | 0   | 11    | 38    | 112   | 141   | 154   | 32   | 488       | 48.4      |
| 有所見者率(%) | 0.0 | 25.6  | 25.7  | 42.7  | 52.8  | 66.1  | 60.4 | 48.4      |           |

## ③ 施設内健診

&lt;男性&gt;

|          | ～29  | 30～39 | 40～49 | 50～59 | 60～69 | 70～79 | 80～  | 合計<br>(人) | 比率<br>(%) |
|----------|------|-------|-------|-------|-------|-------|------|-----------|-----------|
| A        | 55   | 131   | 192   | 125   | 81    | 30    | 0    | 614       | 23.7      |
| B1       | 10   | 48    | 110   | 91    | 97    | 44    | 0    | 400       | 15.4      |
| B2       | 22   | 164   | 400   | 416   | 397   | 93    | 7    | 1,499     | 57.8      |
| C        | 0    | 1     | 7     | 6     | 12    | 5     | 0    | 31        | 1.2       |
| D        | 0    | 2     | 8     | 16    | 17    | 5     | 0    | 48        | 1.9       |
| 受診者数(人)  | 87   | 346   | 717   | 654   | 604   | 177   | 7    | 2,592     | 100.0     |
| 有所見者数(人) | 10   | 104   | 303   | 358   | 403   | 124   | 6    | 1,308     | 50.5      |
| 有所見者率(%) | 11.5 | 30.1  | 42.3  | 54.7  | 66.7  | 70.1  | 85.7 | 50.5      |           |

&lt;女性&gt;

|          | ～29 | 30～39 | 40～49 | 50～59 | 60～69 | 70～79 | 80～  | 合計<br>(人) | 比率<br>(%) |
|----------|-----|-------|-------|-------|-------|-------|------|-----------|-----------|
| A        | 63  | 256   | 642   | 403   | 192   | 32    | 2    | 1,590     | 45.3      |
| B1       | 0   | 27    | 135   | 168   | 135   | 37    | 2    | 504       | 14.4      |
| B2       | 9   | 82    | 404   | 511   | 267   | 72    | 3    | 1,348     | 38.4      |
| C        | 0   | 0     | 5     | 6     | 4     | 2     | 0    | 17        | 0.5       |
| D        | 0   | 2     | 16    | 18    | 13    | 3     | 0    | 52        | 1.5       |
| 受診者数(人)  | 72  | 367   | 1,202 | 1,106 | 611   | 146   | 7    | 3,511     | 100.0     |
| 有所見者数(人) | 7   | 82    | 396   | 522   | 337   | 94    | 5    | 1,443     | 41.1      |
| 有所見者率(%) | 9.7 | 22.3  | 32.9  | 47.2  | 55.2  | 64.4  | 71.4 | 41.1      |           |

## ④ 施設外健診

&lt;男性&gt;

|          | ～29  | 30～39 | 40～49 | 50～59 | 60～69 | 70～79 | 80～   | 合計<br>(人) | 比率<br>(%) |
|----------|------|-------|-------|-------|-------|-------|-------|-----------|-----------|
| A        | 242  | 552   | 745   | 437   | 449   | 589   | 249   | 3,263     | 22.2      |
| B1       | 49   | 193   | 420   | 320   | 536   | 850   | 529   | 2,897     | 19.7      |
| B2       | 133  | 612   | 1,501 | 1,283 | 1,572 | 2,029 | 844   | 7,974     | 54.3      |
| C        | 0    | 1     | 9     | 16    | 27    | 48    | 45    | 146       | 1.0       |
| D        | 2    | 11    | 27    | 36    | 93    | 155   | 69    | 393       | 2.7       |
| 受診者数(人)  | 426  | 1,369 | 2,702 | 2,092 | 2,677 | 3,671 | 1,736 | 14,673    | 100.0     |
| 有所見者数(人) | 68   | 361   | 1,026 | 1,058 | 1,633 | 2,550 | 1,349 | 8,045     | 54.8      |
| 有所見者率(%) | 16.0 | 26.4  | 38.0  | 50.6  | 61.0  | 69.5  | 77.7  | 54.8      |           |

&lt;女性&gt;

|          | ～29  | 30～39 | 40～49 | 50～59 | 60～69 | 70～79 | 80～   | 合計<br>(人) | 比率<br>(%) |
|----------|------|-------|-------|-------|-------|-------|-------|-----------|-----------|
| A        | 250  | 746   | 1,054 | 701   | 1,009 | 1,132 | 509   | 5,401     | 34.7      |
| B1       | 18   | 84    | 281   | 325   | 712   | 1,101 | 551   | 3,072     | 19.7      |
| B2       | 56   | 256   | 685   | 875   | 1,672 | 2,112 | 973   | 6,629     | 42.6      |
| C        | 0    | 1     | 2     | 5     | 26    | 45    | 25    | 104       | 0.7       |
| D        | 1    | 15    | 26    | 37    | 71    | 138   | 73    | 361       | 2.3       |
| 受診者数(人)  | 325  | 1,102 | 2,048 | 1,943 | 3,490 | 4,528 | 2,131 | 15,567    | 100.0     |
| 有所見者数(人) | 39   | 217   | 671   | 835   | 1,773 | 2,741 | 1,468 | 7,744     | 49.7      |
| 有所見者率(%) | 12.0 | 19.7  | 32.8  | 43.0  | 50.8  | 60.5  | 68.9  | 49.7      |           |

## ⑤ 全国健康保険協会管掌健康保険生活習慣病予防健診 [再掲]

&lt;男性&gt;

|          | ～29 | 30～39 | 40～49 | 50～59 | 60～69 | 70～79 | 80～ | 合計<br>(人) | 比率<br>(%) |
|----------|-----|-------|-------|-------|-------|-------|-----|-----------|-----------|
| A        | 0   | 50    | 119   | 65    | 57    | 16    | 0   | 307       | 20.0      |
| B1       | 0   | 15    | 62    | 63    | 65    | 24    | 0   | 229       | 14.9      |
| B2       | 0   | 68    | 252   | 266   | 306   | 51    | 0   | 943       | 61.4      |
| C        | 0   | 1     | 3     | 6     | 7     | 3     | 0   | 20        | 1.3       |
| D        | 0   |       | 5     | 14    | 14    | 3     | 0   | 36        | 2.3       |
| 受診者数(人)  | 0   | 134   | 441   | 414   | 449   | 97    | 0   | 1,535     | 100.0     |
| 有所見者数(人) | 0   | 44    | 193   | 229   | 300   | 72    | 0   | 838       | 54.6      |
| 有所見者率(%) | 0.0 | 32.8  | 43.8  | 55.3  | 66.8  | 74.2  | 0.0 | 54.6      |           |

&lt;女性&gt;

|          | ～29 | 30～39 | 40～49 | 50～59 | 60～69 | 70～79 | 80～ | 合計<br>(人) | 比率<br>(%) |
|----------|-----|-------|-------|-------|-------|-------|-----|-----------|-----------|
| A        | 0   | 55    | 219   | 162   | 81    | 10    | 0   | 527       | 39.6      |
| B1       | 0   | 11    | 48    | 71    | 75    | 13    | 0   | 218       | 16.4      |
| B2       | 0   | 22    | 167   | 231   | 126   | 14    | 0   | 560       | 42.0      |
| C        | 0   | 0     | 1     | 3     | 2     | 0     | 0   | 6         | 0.5       |
| D        | 0   | 0     | 2     | 10    | 8     | 1     | 0   | 21        | 1.6       |
| 受診者数(人)  | 0   | 88    | 437   | 477   | 292   | 38    | 0   | 1,332     | 100.0     |
| 有所見者数(人) | 0   | 18    | 145   | 233   | 171   | 25    | 0   | 592       | 44.4      |
| 有所見者率(%) | 0.0 | 20.5  | 33.2  | 48.8  | 58.6  | 65.8  | 0.0 | 44.4      |           |

## &lt;主な超音波所見&gt;

## ① 1日人間ドック

## &lt;男性&gt;

|         | ～29 | 30～39 | 40～49 | 50～59 | 60～69 | 70～79 | 80～ | 合計(人)  |
|---------|-----|-------|-------|-------|-------|-------|-----|--------|
| 肝硬変(疑)  | 0   | 0     | 2     | 6     | 12    | 7     | 0   | 27     |
| 肝腫瘍性病変  | 0   | 44    | 201   | 268   | 153   | 63    | 5   | 734    |
| 肝のう胞    | 0   | 13    | 177   | 476   | 486   | 245   | 42  | 1,439  |
| 脂肪肝     | 8   | 356   | 1,341 | 1,962 | 1,404 | 472   | 39  | 5,582  |
| 腎結石     | 1   | 49    | 266   | 474   | 411   | 176   | 25  | 1,402  |
| 腎腫瘍     | 0   | 1     | 16    | 28    | 18    | 9     | 1   | 73     |
| 腎のう胞    | 1   | 40    | 253   | 694   | 918   | 526   | 94  | 2,526  |
| 総胆管拡張   | 0   | 0     | 9     | 17    | 77    | 55    | 20  | 178    |
| 胆のうポリープ | 3   | 198   | 642   | 815   | 504   | 190   | 13  | 2,365  |
| 胆のう結石   | 1   | 18    | 120   | 273   | 276   | 120   | 15  | 823    |
| 胆のう腫瘍   | 0   | 0     | 0     | 1     | 0     | 0     | 0   | 1      |
| 脾腫      | 0   | 3     | 11    | 21    | 15    | 4     | 1   | 55     |
| 膵管拡張    | 0   | 0     | 5     | 23    | 51    | 42    | 10  | 131    |
| 膵腫瘍     | 0   | 2     | 11    | 45    | 51    | 53    | 16  | 178    |
| 膵のう胞    | 0   | 1     | 6     | 26    | 52    | 42    | 12  | 139    |
| 受診者数(人) | 35  | 1,164 | 3,557 | 4,495 | 3,330 | 1,372 | 207 | 14,160 |

## &lt;女性&gt;

|         | ～29 | 30～39 | 40～49 | 50～59 | 60～69 | 70～79 | 80～ | 合計(人)  |
|---------|-----|-------|-------|-------|-------|-------|-----|--------|
| 肝硬変(疑)  | 0   | 0     | 0     | 3     | 1     | 1     | 0   | 5      |
| 肝腫瘍性病変  | 1   | 52    | 200   | 297   | 142   | 24    | 3   | 719    |
| 肝のう胞    | 0   | 24    | 228   | 568   | 478   | 213   | 20  | 1,531  |
| 脂肪肝     | 3   | 86    | 398   | 837   | 649   | 194   | 14  | 2,181  |
| 腎結石     | 2   | 23    | 118   | 229   | 165   | 71    | 5   | 613    |
| 腎腫瘍     | 0   | 6     | 27    | 37    | 32    | 16    | 0   | 118    |
| 腎のう胞    | 0   | 21    | 124   | 260   | 269   | 186   | 34  | 894    |
| 総胆管拡張   | 0   | 0     | 5     | 27    | 58    | 44    | 13  | 147    |
| 胆のうポリープ | 2   | 79    | 337   | 467   | 289   | 74    | 8   | 1,256  |
| 胆のう結石   | 0   | 16    | 93    | 255   | 159   | 58    | 7   | 588    |
| 胆のう腫瘍   | 0   | 0     | 0     | 0     | 0     | 0     | 0   | 0      |
| 脾腫      | 0   | 6     | 8     | 7     | 2     | 1     | 0   | 24     |
| 膵管拡張    | 0   | 0     | 0     | 6     | 9     | 12    | 4   | 31     |
| 膵腫瘍     | 0   | 2     | 13    | 40    | 59    | 45    | 6   | 165    |
| 膵のう胞    | 0   | 4     | 25    | 80    | 74    | 44    | 11  | 238    |
| 受診者数(人) | 60  | 1,062 | 3,423 | 4,183 | 2,577 | 946   | 109 | 12,360 |

## ② 2日人間ドック

## &lt;男性&gt;

|          | ～29 | 30～39 | 40～49 | 50～59 | 60～69 | 70～79 | 80～ | 合計 (人) |
|----------|-----|-------|-------|-------|-------|-------|-----|--------|
| 肝硬変 (疑)  | 0   | 0     | 0     | 0     | 2     | 2     | 0   | 4      |
| 肝腫瘍性病変   | 0   | 7     | 23    | 41    | 29    | 22    | 2   | 124    |
| 肝のう胞     | 0   | 0     | 17    | 71    | 95    | 90    | 15  | 288    |
| 脂肪肝      | 0   | 39    | 203   | 313   | 312   | 163   | 13  | 1,043  |
| 腎結石      | 0   | 9     | 43    | 84    | 97    | 65    | 15  | 313    |
| 腎腫瘍      | 0   | 0     | 3     | 4     | 9     | 3     | 1   | 20     |
| 腎のう胞     | 0   | 6     | 36    | 98    | 201   | 180   | 61  | 582    |
| 総胆管拡張    | 0   | 0     | 2     | 5     | 11    | 21    | 2   | 41     |
| 胆のうポリープ  | 0   | 21    | 87    | 133   | 107   | 65    | 12  | 425    |
| 胆のう結石    | 0   | 4     | 21    | 36    | 45    | 36    | 15  | 157    |
| 胆のう腫瘍    | 0   | 0     | 0     | 0     | 0     | 0     | 0   | 0      |
| 脾腫       | 0   | 1     | 1     | 1     | 1     | 2     | 0   | 6      |
| 膵管拡張     | 0   | 0     | 1     | 4     | 11    | 13    | 7   | 36     |
| 膵腫瘍      | 0   | 0     | 1     | 5     | 13    | 13    | 6   | 38     |
| 膵のう胞     | 0   | 0     | 4     | 3     | 7     | 14    | 11  | 39     |
| 受診者数 (人) | 6   | 134   | 515   | 726   | 693   | 510   | 117 | 2,701  |

## &lt;女性&gt;

|          | ～29 | 30～39 | 40～49 | 50～59 | 60～69 | 70～79 | 80～ | 合計 (人) |
|----------|-----|-------|-------|-------|-------|-------|-----|--------|
| 肝硬変 (疑)  | 0   | 0     | 0     | 1     | 0     | 0     | 0   | 1      |
| 肝腫瘍性病変   | 0   | 0     | 8     | 9     | 10    | 9     | 2   | 38     |
| 肝のう胞     | 0   | 0     | 10    | 34    | 39    | 54    | 8   | 145    |
| 脂肪肝      | 1   | 4     | 26    | 69    | 63    | 55    | 5   | 223    |
| 腎結石      | 0   | 2     | 2     | 15    | 14    | 13    | 2   | 48     |
| 腎腫瘍      | 0   | 0     | 1     | 2     | 4     | 3     | 0   | 10     |
| 腎のう胞     | 0   | 2     | 5     | 16    | 26    | 52    | 16  | 117    |
| 総胆管拡張    | 0   | 0     | 0     | 3     | 6     | 17    | 5   | 31     |
| 胆のうポリープ  | 0   | 6     | 12    | 31    | 34    | 19    | 2   | 104    |
| 胆のう結石    | 0   | 1     | 5     | 12    | 23    | 12    | 1   | 54     |
| 胆のう腫瘍    | 0   | 0     | 0     | 0     | 1     | 0     | 0   | 1      |
| 脾腫       | 0   | 0     | 0     | 1     | 0     | 0     | 0   | 1      |
| 膵管拡張     | 0   | 0     | 0     | 0     | 3     | 6     | 1   | 10     |
| 膵腫瘍      | 0   | 0     | 0     | 2     | 5     | 9     | 4   | 20     |
| 膵のう胞     | 0   | 0     | 1     | 3     | 12    | 20    | 7   | 43     |
| 受診者数 (人) | 2   | 43    | 148   | 262   | 267   | 233   | 53  | 1,008  |

## ③ 施設内健診

&lt;男性&gt;

|         | ～29 | 30～39 | 40～49 | 50～59 | 60～69 | 70～79 | 80～ | 合計(人) |
|---------|-----|-------|-------|-------|-------|-------|-----|-------|
| 肝硬変(疑)  | 0   | 0     | 0     | 1     | 0     | 1     | 0   | 2     |
| 肝腫瘍性病変  | 0   | 14    | 42    | 34    | 26    | 2     | 0   | 118   |
| 肝のう胞    | 0   | 1     | 37    | 69    | 102   | 30    | 4   | 243   |
| 脂肪肝     | 14  | 118   | 276   | 290   | 242   | 48    | 2   | 990   |
| 腎結石     | 0   | 8     | 55    | 76    | 85    | 27    | 3   | 254   |
| 腎腫瘍     | 0   | 0     | 1     | 3     | 10    | 1     | 0   | 15    |
| 腎のう胞    | 1   | 16    | 60    | 117   | 146   | 73    | 3   | 416   |
| 総胆管拡張   | 0   | 0     | 3     | 4     | 14    | 3     | 1   | 25    |
| 胆のうポリープ | 9   | 61    | 135   | 120   | 108   | 21    | 0   | 454   |
| 胆のう結石   | 0   | 8     | 19    | 32    | 57    | 11    | 1   | 128   |
| 胆のう腫瘍   | 0   | 0     | 0     | 0     | 0     | 0     | 0   | 0     |
| 脾腫      | 0   | 0     | 0     | 2     | 0     | 2     | 0   | 4     |
| 膵管拡張    | 0   | 0     | 2     | 1     | 8     | 2     | 0   | 13    |
| 膵腫瘍     | 0   | 0     | 3     | 5     | 8     | 7     | 0   | 23    |
| 膵のう胞    | 0   | 0     | 1     | 4     | 17    | 7     | 0   | 29    |
| 受診者数(人) | 87  | 346   | 717   | 654   | 604   | 177   | 7   | 2,592 |

&lt;女性&gt;

|         | ～29 | 30～39 | 40～49 | 50～59 | 60～69 | 70～79 | 80～ | 合計(人) |
|---------|-----|-------|-------|-------|-------|-------|-----|-------|
| 肝硬変(疑)  | 0   | 0     | 1     | 0     | 0     | 0     | 0   | 1     |
| 肝腫瘍性病変  | 1   | 24    | 89    | 67    | 31    | 10    | 0   | 222   |
| 肝のう胞    | 0   | 10    | 77    | 148   | 127   | 30    | 3   | 395   |
| 脂肪肝     | 2   | 21    | 160   | 238   | 126   | 34    | 1   | 582   |
| 腎結石     | 0   | 9     | 40    | 59    | 44    | 10    | 0   | 162   |
| 腎腫瘍     | 1   | 1     | 13    | 6     | 6     | 3     | 0   | 30    |
| 腎のう胞    | 0   | 7     | 41    | 79    | 87    | 25    | 1   | 240   |
| 総胆管拡張   | 0   | 0     | 5     | 12    | 18    | 4     | 0   | 39    |
| 胆のうポリープ | 3   | 32    | 98    | 146   | 73    | 12    | 0   | 364   |
| 胆のう結石   | 1   | 5     | 45    | 90    | 50    | 12    | 1   | 204   |
| 胆のう腫瘍   | 0   | 0     | 0     | 0     | 0     | 0     | 0   | 0     |
| 脾腫      | 0   | 0     | 1     | 2     | 0     | 0     | 0   | 3     |
| 膵管拡張    | 0   | 0     | 0     | 3     | 2     | 1     | 0   | 6     |
| 膵腫瘍     | 0   | 1     | 6     | 8     | 6     | 5     | 1   | 27    |
| 膵のう胞    | 0   | 0     | 11    | 14    | 6     | 1     | 0   | 32    |
| 受診者数(人) | 72  | 367   | 1,202 | 1,106 | 611   | 146   | 7   | 3,511 |



## ④ 施設外健診

&lt;男性&gt;

|         | ～29 | 30～39 | 40～49 | 50～59 | 60～69 | 70～79 | 80～   | 合計（人）  |
|---------|-----|-------|-------|-------|-------|-------|-------|--------|
| 肝硬変（疑）  | 0   | 0     | 2     | 5     | 12    | 11    | 5     | 35     |
| 肝腫瘍性病変  | 7   | 48    | 135   | 112   | 143   | 131   | 39    | 615    |
| 肝のう胞    | 0   | 12    | 110   | 184   | 309   | 508   | 250   | 1,373  |
| 脂肪肝     | 91  | 418   | 1,086 | 886   | 1,035 | 1,143 | 293   | 4,952  |
| 腎結石     | 12  | 64    | 208   | 229   | 348   | 476   | 196   | 1,533  |
| 腎腫瘍     | 0   | 3     | 13    | 12    | 12    | 21    | 12    | 73     |
| 腎のう胞    | 7   | 49    | 186   | 258   | 706   | 1,470 | 912   | 3,588  |
| 総胆管拡張   | 0   | 0     | 4     | 17    | 60    | 142   | 133   | 356    |
| 胆のうポリープ | 38  | 189   | 430   | 350   | 339   | 342   | 94    | 1,782  |
| 胆のう結石   | 3   | 16    | 80    | 132   | 178   | 328   | 148   | 885    |
| 胆のう腫瘍   | 0   | 0     | 1     | 0     | 0     | 0     | 3     | 4      |
| 脾腫      | 3   | 1     | 5     | 9     | 6     | 11    | 4     | 39     |
| 膵管拡張    | 0   | 0     | 3     | 9     | 36    | 96    | 75    | 219    |
| 膵腫瘍     | 0   | 2     | 7     | 14    | 30    | 73    | 65    | 191    |
| 膵のう胞    | 0   | 0     | 2     | 10    | 35    | 94    | 88    | 229    |
| 受診者数（人） | 426 | 1,369 | 2,702 | 2,092 | 2,677 | 3,671 | 1,736 | 14,673 |

&lt;女性&gt;

|         | ～29 | 30～39 | 40～49 | 50～59 | 60～69 | 70～79 | 80～   | 合計（人）  |
|---------|-----|-------|-------|-------|-------|-------|-------|--------|
| 肝硬変（疑）  | 0   | 0     | 1     | 0     | 1     | 4     | 3     | 9      |
| 肝腫瘍性病変  | 4   | 60    | 132   | 74    | 131   | 100   | 41    | 542    |
| 肝のう胞    | 0   | 15    | 144   | 265   | 590   | 858   | 338   | 2,210  |
| 脂肪肝     | 26  | 115   | 294   | 479   | 948   | 1,077 | 304   | 3,243  |
| 腎結石     | 3   | 23    | 79    | 104   | 236   | 315   | 157   | 917    |
| 腎腫瘍     | 0   | 4     | 11    | 21    | 32    | 37    | 18    | 123    |
| 腎のう胞    | 2   | 13    | 58    | 113   | 444   | 956   | 692   | 2,278  |
| 総胆管拡張   | 0   | 2     | 5     | 14    | 87    | 230   | 206   | 544    |
| 胆のうポリープ | 18  | 65    | 210   | 209   | 344   | 390   | 131   | 1,367  |
| 胆のう結石   | 4   | 25    | 67    | 128   | 214   | 317   | 144   | 899    |
| 胆のう腫瘍   | 0   | 0     | 0     | 0     | 2     | 2     | 2     | 6      |
| 脾腫      | 0   | 2     | 2     | 2     | 1     | 4     | 4     | 15     |
| 膵管拡張    | 0   | 0     | 1     | 6     | 9     | 58    | 62    | 136    |
| 膵腫瘍     | 1   | 1     | 4     | 20    | 36    | 101   | 114   | 277    |
| 膵のう胞    | 0   | 4     | 10    | 20    | 84    | 192   | 146   | 456    |
| 受診者数（人） | 325 | 1,102 | 2,048 | 1,943 | 3,490 | 4,528 | 2,131 | 15,567 |

## ⑤ 全国健康保険協会管掌健康保険生活習慣病予防健診 [再掲]

&lt;男性&gt;

|         | ～29 | 30～39 | 40～49 | 50～59 | 60～69 | 70～79 | 80～ | 合計(人) |
|---------|-----|-------|-------|-------|-------|-------|-----|-------|
| 肝硬変(疑)  | 0   | 0     | 1     | 1     | 0     | 0     | 0   | 2     |
| 肝腫瘍性病変  | 0   | 2     | 26    | 19    | 25    | 1     | 0   | 73    |
| 肝のう胞    | 0   | 1     | 23    | 42    | 71    | 15    | 0   | 152   |
| 脂肪肝     | 0   | 52    | 176   | 191   | 191   | 27    | 0   | 637   |
| 腎結石     | 0   | 7     | 36    | 50    | 60    | 14    | 0   | 167   |
| 腎腫瘍     | 0   | 0     | 0     | 3     | 5     | 0     | 0   | 8     |
| 腎のう胞    | 0   | 6     | 41    | 73    | 105   | 40    | 0   | 265   |
| 総胆管拡張   | 0   | 0     | 2     | 2     | 10    | 1     | 0   | 15    |
| 胆のうポリープ | 0   | 25    | 83    | 80    | 78    | 13    | 0   | 279   |
| 胆のう結石   | 0   | 5     | 8     | 27    | 38    | 6     | 0   | 84    |
| 胆のう腫瘍   | 0   | 0     | 0     | 0     | 0     | 0     | 0   | 0     |
| 脾腫      | 0   | 0     | 0     | 1     | 0     | 1     | 0   | 2     |
| 膵管拡張    | 0   | 0     | 0     | 2     | 7     | 1     | 0   | 10    |
| 膵腫瘍     | 0   | 0     | 3     | 5     | 4     | 4     | 0   | 16    |
| 膵のう胞    | 0   | 0     | 1     | 3     | 11    | 3     | 0   | 18    |
| 受診者数(人) | 0   | 134   | 441   | 414   | 449   | 97    | 0   | 1,535 |

&lt;女性&gt;

|         | ～29 | 30～39 | 40～49 | 50～59 | 60～69 | 70～79 | 80～ | 合計(人) |
|---------|-----|-------|-------|-------|-------|-------|-----|-------|
| 肝硬変(疑)  | 0   | 0     | 0     | 0     | 0     | 0     | 0   | 0     |
| 肝腫瘍性病変  | 0   | 7     | 33    | 25    | 17    | 2     | 0   | 84    |
| 肝のう胞    | 0   | 3     | 27    | 67    | 72    | 7     | 0   | 176   |
| 脂肪肝     | 0   | 9     | 70    | 111   | 57    | 6     | 0   | 253   |
| 腎結石     | 0   | 0     | 16    | 30    | 19    | 5     | 0   | 70    |
| 腎腫瘍     | 0   | 0     | 5     | 1     | 3     | 0     | 0   | 9     |
| 腎のう胞    | 0   | 3     | 17    | 41    | 37    | 4     | 0   | 102   |
| 総胆管拡張   | 0   | 0     | 3     | 6     | 9     | 0     | 0   | 18    |
| 胆のうポリープ | 0   | 7     | 40    | 72    | 37    | 2     | 0   | 158   |
| 胆のう結石   | 0   | 1     | 16    | 37    | 23    | 1     | 0   | 78    |
| 胆のう腫瘍   | 0   | 0     | 0     | 0     | 0     | 0     | 0   | 0     |
| 脾腫      | 0   | 0     | 0     | 1     | 0     | 0     | 0   | 1     |
| 膵管拡張    | 0   | 0     | 0     | 2     | 2     | 0     | 0   | 4     |
| 膵腫瘍     | 0   | 0     | 4     | 1     | 4     | 2     | 0   | 11    |
| 膵のう胞    | 0   | 0     | 3     | 8     | 5     | 1     | 0   | 17    |
| 受診者数(人) | 0   | 88    | 437   | 477   | 292   | 38    | 0   | 1,332 |